


# 2012 NORTH DAKOTA WEED CONTROL GUIDE



Compiled by:

**Rich Zollinger** Extension Weed Science

#### CONTRIBUTORS:

<b>Mike Christoffers</b>	Research Weed Science, Weed Genetics
<b>Greg Endres</b>	Extension Area Agronomist, Carrington
<b>Greta Gramig</b>	Research Weed Science, Weed Ecology
<b>Kirk Howatt</b>	Research Weed Science, Small Grains/Minor Crops
<b>Brian Jenks</b>	Research Weed Science, NCREC, Minot
<b>Rod Lym</b>	Research Weed Science, Noxious/Invasive Weeds
<b>Jeff Stachler</b>	NDSU/U of MN Extension Weed Science, Sugarbeet
<b>Andrew Thostenson</b>	Extension Pesticide Programs
<b>Harlene H. Valenti</b>	Research High Value Crops

---

**THIS PUBLICATION SUPERCEDES ALL PREVIOUS ISSUES OF W-253 SUBJECT TO CONDITIONS UNDER "WEED GUIDE INFORMATION"**

---

[www.ndsu.edu/weeds/](http://www.ndsu.edu/weeds/)

## Table of Contents

<b>Crops</b>	<b>Table</b>	<b>Narrative</b>	
	<b>(Pages)</b>	<b>(Pages)</b>	<b>(Paragraph)</b>
Alfalfa, Legume forages	46-47	95	P1
Barley	7-14	82-84	C1-22
Canola, Rapeseed, Mustard	40	92	L1-2
Canola, Herbicide Resistant	41	92	C12-16, L3
Crambe	40	92	L1-2
Chick Pea/Garbanzo bean	34-35	91	H1
Corn	18-20	86-87	D1-16
Corn, Herbicide Resistant	21-23	87	D12-16
Dry bean	30-31	91	F1-6
Flax	39	92	K1-2
Juneberry	17		
Lawn	17		
Lentil	34-35	91	H2-3
Oat	15		
Pea, Field	32-33	91	G1-4
Potato / Vine kill	44-45	95	N1-3
Safflower	38		
Small acreage crops: Buckwheat, Millet, Triticale, others	17		
Sorghum	17		
Soybean	24-26	88-90	E1-13
Soybean, Herbicide Resistant	27-29	87	D13-14,16
Sugarbeet	42-43	93-94	M1-15
Sugarbeet Herbicide Resistant	43	94	M16
Sunflower	36-37	92	J1-5
Sunflower, Herbicide Resistant	37	92	J4-5
Wheat, Spring, Durum, Winter	7-14	82-84	C1-22
Wheat, Barley PRE/POST-Harvest	16	85	C23-27
<b>Noncropland</b>			
Chemical fallow	48-49		
CRP	50-51		
CRP breakout	52	95	R1
Grass establishment	52		
Shelterbelt	64		
Total Vegetation Control	65		
<b>Special Weed Problems</b>			
Annual weed control	53-63	96-97	S1-8
Bindweed, Field	54-55	98	T1
Foxtails (pigeongrass)		96	S2
Knapweed: Diffuse, Spotted, Russian	56		
Kochia		98	S3
Milkweed, Common	98	98	T3
Nightshade		96-97	S4
Noxious weeds	53		
Perennial weed control	53-63	98-101	T1-19
Pigweed species		97	S5
Purple loosestrife or Lythrum	57	101	T19
Quackgrass	57		
Ragweed, Common		97	S8
Saltcedar	57		
Spurge, Leafy	58-59	101	T18
Starthistle, Yellow	56		
Thistles, Biennial: Bull, Musk, Plumeless	62		
Thistle, Canada	60-61	98	T2
Toadflax, Dalmatian and Yellow	63		
Troublesome weeds in cropland and other areas	67		
Troublesome weeds in pasture / rangeland	66		
Volunteer Roundup Ready Crops	115		
Wild buckwheat		96	S1
Wild oat		97	S6
Wormwood, Absinth	63		
Wormwood, Annual or Biennial		97	S7

## Table of Contents (cont.)

		<u>Table</u>		<u>Narrative</u>				<u>Table</u>		<u>Narrative</u>	
<u>General</u>	<u>(Pages)</u>	<u>(Pages)</u>	<u>(P-graph)</u>			<u>General</u>	<u>(Pages)</u>	<u>(Pages)</u>	<u>(P-graph)</u>		
Abbreviations Used					4	Mixing order / Instructions					78
Adjuvants		130-131		71-74		Mode of Action, Herbicides					104-105
Annual Weed Control				96-97							
Backpack Sprayer Calibration				79		Names, Herbicide					122-129
Bioassay Instructions				107		Nozzles, Drift Reducing				75-76	A9
Biological Weed Control				101		Noxious Weeds of ND					53
Breakdown, Herbicides				106-107							
Calibrating sprayers				79		Oil Adjuvants				130-131	71-73 A5
Carryover and Residues				106-107		Organic Matter Test				68	A2
Combinations, Herbicide/Pesticide				78							
Corn Herbicide Premixes				23		Perennial Weed Control				53-63	98-101 T1-19
Crop Rotation Restrictions				108-110		POST-Applied Herbicides				68-71	A3
Crop Injury Investigation				77		POST Grass Herbicide Table				26	
Degradation, Herbicide				106-107		Premixes, Herbicide - Corn				23	
Drift, Spray and Vapor				75-76		- Soybean				29	
Drift Reducing Nozzles				75-76		Prices, Herbicide				122-129	
Emergency Information				5, Back page		Rain-Free Interval				69	
Environment, Effect on Herbicides				68		Ratings, Weed Control				116-121	
Fall-Applied Herbicides				6		Soil Applied				116-117	
Feeding Restrictions				112-114		POST Applied				118-121	
Field Bioassay Instructions				107		RR Volunteers				115	
Formulations, Herbicide				122-129		Reduced Herbicide Rates				74	A7
Glyphosate				69-71		Resistant Weeds				102-103	X1
Grasses, POST Herbicide Chart				26		Residues, Herbicide				106-107	Y1-14
Grazing Restrictions				112-114		Residue Laboratories				111	
Hand-held Sprayer Calibration				79		Restricted Use Herbicides				5	
Hard Water Antagonism				74, 132		Rotation Restrictions				108-110	
Haying Restrictions				112-1146		RR, volunteer crops				115	
Herbicide Breakdown, Factors				106-107		Soybean Herbicide Premixes				29	
Herbicide Carryover				106-107		Spray Drift				75-76	A9
Herbicide Compendium				122-129		Sprayer Calibration				79	
Herbicide Formulations				122-129		Sprayer Cleanout				77	
Herbicide Incorporation				68		Sprayer Water Quality				74,132	A6
Herbicide Mode of Action				104-105		Storage Temperature, Herbicide				79	
Herbicide+Pesticide Combinations				78		Surfactants				130-131	71-73 A5
Herbicide, POST Grass Chart				26		Surfactants allowed in water				130	
Herbicide Premixes - Corn				23		Volunteers, RR				115	
- Soybean				29		Water Quality				74,132	A6
Herbicide Prices				122-129		Weed Control, Annual Weeds				96-97	S1-7
Herbicide Storage Temps				79		Weed Control, Perennial Weeds				53-63	98-101 T1-19
Herbicide Rain-Free Interval				68		Weed Control Ratings				116-121	
Herbicide Resistant Weeds				102-103		Soil Applied				116-117	
Incorporation of Herbicides				68		POST Applied				118-121	
Laboratories for herbicide residue				111		RUR volunteer crops				115	
Laboratories for water quality				132		Weed of the Year				133	
						Weed Resistance				102-103	X1
						Weed Guide - How To Use				4	
						Weed Guide - General Information				4-5, 68	
						2012 Updates				134-135	

# WEED GUIDE INFORMATION

The information in this guide provides a summary of herbicide uses in crops grown in North Dakota and is based on federal and state herbicide labels, research at ND Ag. Experiment Stations, and information from the North Dakota Department of Agriculture.

### ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Instructions for registered uses of herbicides are given on container labels. The label is the final guide and should be strictly followed. The information in this guide only applies to North Dakota because some herbicide uses are allowed only by supplemental or specific ND labeling. Label possession is required at the time of application.

This bulletin is provided for your information. North Dakota State University or its officers or employees make no claims, representations, or guarantees as to product performance nor accept responsibility for results from using herbicides. See legal disclaimer on the next page.

Below is information to aid in using this guide:

**Herbicides.** Herbicides in tables are listed by trade name followed by common name in parenthesis except where several brands are available. Contact chemical suppliers and the ND Dept of Ag for new label information.

**Rates.** Rates in tables are based on broadcast application and are expressed according to formulated product per acre with active ingredient (ai) or acid equivalent (ae) per acre given in parentheses. Commercial formulations of the same ai may vary in concentration.

For example, a pint of 4 lb ae/gal 2,4-D contains 0.5 lb while a pint of 6 lb ae/gal 2,4-D contains 0.75 lb or a quart of 3 lb ae/gal glyphosate contains 0.75 lb while a quart of 4.5 lb ae/gal glyphosate contains 1.125 lbs.

What is the difference between ai and ae? The ai of glyphosate is the weight of both glyphosate acid plus the salt formulated with the glyphosate molecule. The acid equivalent (ae) of glyphosate is only the weight of glyphosate without the salt. The label of commercial products list both active ingredient (ai) and inert ingredients. Inert ingredients are not phytotoxic but are used to create stable formulations and to aid in application, herbicide retention, deposition, and absorption. The active ingredient of some herbicides are formulated with salts or esters (See Herbicide Compendium). Glyphosate is formulated at different concentrations, as pure acid, and with four salts, isopropyl amine (ipa), dimethyl amine (dma), diammonium (2(NH<sub>3</sub>)), and potassium (K). The salt formulated with herbicide molecules does not contribute to weed control. Glyphosate formulated at different concentrations and with different salts require using acid equivalent (ae) when calculating rates. The following table will help to understand the relationship between ai and ae.

		Rate as acid equivalent (ae)			
		0.57	0.75	1.125	1.5
lb acid or active/gallon		----- fl oz/A -----			
3 lb ae	= 4 lb ai =	24	32	48	64
3.75 lb ae	= 5 lb ai =	18	26	38	51
4 lb ae	= 5.4 lb ai =	18	24	36	48
4.17 lb ae	= 5.1 lb ai =	18	24	36	48
4.5 lb ae	= 5.5 lb ai =	16	22	32	32
4.72 lb ae	= 6.3 lb ai =	15	20	30	40
5 lb ae	= 6.1 lb ai =	15	19	29	38

**Weed Control Ratings.** Herbicide effectiveness ratings listed in tables show general comparative ratings based on field observations. Weed control may be equal or greater than what is indicated in the table under favorable conditions or may be reduced and unsatisfactory may result in unfavorable conditions.

## Abbreviations Used

### Units of Measurement

oz	= ounce (16 oz/lb)
fl oz	= fluid ounce (128 fl oz/gal)
pt	= pint (8 pt/gal)
gal	= gallon
ae	= acid equivalent
ai	= active ingredient
conc	= concentration
v/v	= volume/volume
lb, lb/gal	= pound, pounds/gallon
gpa	= gallons per acre

### Crop Designation

HRSW = Hard red spring wheat

### Type of Application

EPP	= Early preplant
PPI	= Preplant incorporated
PRE	= Preemergence
EPOST	= Early postemergence
POST	= Postemergence
POST Directed	= Postemergence directed



= Aerial application prohibited

### Types of Formulation

DF	= Dry flowable
EC	= Emulsifiable concentrate
EW	= Emulsion in water
F	= Flowable
ME	= Micro-encapsulated
S	= Solution
SC	= Suspension concentrate
SG	= Soluble granule
SP	= Soluble powder
WDG	= Water dispersible granule

### Miscellaneous

ACCCase	= Acetyl CoA carboxylase
ALS	= Acetolactate synthase
AMS	= Ammonium sulfate
CEC	= Cation exchange capacity
DAA	= Days after application
DNA	= Dinitroaniline
IMI	= Imidazolinone
MSO	= Methylated seed oil
NIS	= Nonionic surfactant
OM	= Organic matter
PHI	= Preharvest interval
RUP	= Restricted Use Pesticide
SU	= Sulfonylurea
TPS	= Triazolopyrimidine sulfonamide
UAN	= Urea ammonium nitrate

## GENERAL INFORMATION

### LEGAL DISCLAIMER

The weed control suggestions presented in this guide are based on Federal label clearance, on information obtained from the North Dakota Agricultural Experiment Station, and reports in North Dakota Weed Control Research.

**CAUTION:** Instructions for registered uses of herbicides are given on container labels. **Read and follow label instructions carefully.** Pesticide labels supercede recommendations given in this guide. Weed control suggestions in this guide are based on the assumption that all herbicides mentioned will continue to have a registered label with the Environmental Protection Agency. This guide may contain recommendations for herbicides that are labeled only for North Dakota. The user of any pesticide must possess a copy of the label at the time of application. State labels can be obtained from chemical dealers or distributors or found on the NDDOA web site at: <http://www.kellysolutions.com/nd>

Use pesticides only on registered crops. Some formulations of an active ingredient may not be labeled for certain uses. Federal law makes liable for seizure any raw agricultural commodity that possesses a pesticide residue for which no exemption or tolerance has been established or that exceeds the tolerances established by the Food and Drug Administration. Persons using pesticides in a manner contrary to label instructions are subject to penalty under federal and state laws. North Dakota State University or its officers or employees makes no claims or representations that the chemicals discussed will or will not result in residues on agricultural commodities and assume no responsibility for results from using herbicides.

### USE PESTICIDES ONLY AS LABELED.

#### Pesticide Labeling and Registration

No pesticide may be sold or used in the United States until the U.S. Environmental Protection Agency (EPA) has registered and approved the product use and the labeling. Canadian and other foreign labeled pesticides may not be used in the United States until registered by the EPA.

### TYPES OF PESTICIDE REGISTRATIONS

**Federal EPA Registrations**, also known as 3e and 2ee labels, are the most common and widely used type of pesticide registration. Product labels of pesticides being applied must be at the application site during the time of application. Aerial applicators must have the label at the loading site.

**Section 24(c) Registrations**, also known as (SLN) State Local Needs registrations:

- are state-specific registrations issued by states
  - are used to address a special local need
  - must prove there is an existing or imminent pest problem for which a federally registered pesticide is not available
  - can be used to address pest resistance management.
- SLN registrations can be used to register additional uses or add limitations for a federally registered pesticide, like adding application sites, pests, or alternate control methods to those listed on federally registered labeling. SLN labels are initiated by the ND Department of Ag and must be approved by EPA.

Supplemental labeling must be provided for each SLN registration. Applicators must have the SLN label and federal label in their possession at application. These registrations are legal only in the state or local area specified in the labeling.

**Section 18 “Emergency” and “Crisis” exemptions** from FIFRA allows the unregistered use of a pesticide to address an emergency pest situation and are used when a crisis pest situation:

- is an emergency and non-routine
- has no or ineffective alternative management tools and
- is severe and can be documented to cause yield or economic loss (>20%) on the specified crop.

Both types of exemptions from registration allows use of a pesticide for a non-registered purpose for a specified period of time. ND “Emergency” Section 18 exemptions are registrations initiated by the NDDA, are approved by the EPA, and can be declared if both federal and SLN registrations are not or cannot be enacted in time to prevent the condition. In rare occasions, when time is critical and the emergency is acute, NDDA can declare a “Crisis” exemption without written approval of EPA. The NDDA informs EPA of the condition prior to the action and allows EPA to support the state action. This process usually takes 10 to 14 days to complete. The duration of a “Crisis” exemption (14 to 21 days) is shorter than an “Emergency” exemption. If an “Emergency” exemption is being reviewed by the EPA at the time the “Crisis” exemption is declared the EPA may elect to grant the “Emergency” exemption and increase the period of duration. An applicator must possess federal labels and Section 18 exemption labeling at application.

### RESTRICTED USE PESTICIDES (RUP)

EPA categorizes pesticides as either unclassified (general use) or restricted. **Restricted-Use Pesticides (RUP)** are pesticides that can cause harm to humans or environment and must be applied by certified applicators. Only certified dealers may sell RUPs and only certified applicators may purchase, apply or recommend an RUP. Private and commercial applicators must record certain information for all pesticide applications.

### RESTRICTED USE HERBICIDES:

All products and premixes containing the active ingredients listed below are restricted use pesticides. See Mode of Action table in Section X1.

**Alachlor** = See Mode of Action #15

**Atrazine** = See Mode of Action #5

**Isoxaflutole** = See Mode of Action #27

**Paraquat** = See Mode of Action #22

**Picloram** = See Mode of Action #4

**Brand names of other RUP:**

Amitrole-T, Cytrole (amitrole)

Kerb 50W (pronamide)

Sulfuric acid

### SAFETY AND EMERGENCY PHONE NUMBERS:

ND Poison Control Line:	800 222-1222
ND Emergency Assistance Line:	800 472-2121
Report pesticide incident to NDDA:	701 328-2232