

Aim tankmixes in wheat (2003)

The objective of this study was to evaluate various herbicides for efficacy and crop tolerance.

Table. Aim tankmixes in wheat

Treatment	Rate	Wheat						Kocz		Rrpw		Yield	Test Wt
		Necrosis			Stunting			Jun 6	Jun 18	Jun 6	Jun 18	Aug 7	lb/bu
		Jun 6	Jun 12	Jun 18	Jun 6	Jun 12	Jun 18						
		—————%—————						—% control —		bu/A	lb/bu		
Aim + 2,4-D	1 oz + 0.75 pt	24	15	10	12	17	16	95	100	97	99	50	60
Aim + 2,4-D	0.5 oz + 0.75 pt	14	8	6	6	11	11	93	100	96	100	57	60
Aim + 2,4-D + NIS	0.5 oz + 0.75 pt + 0.25% v/v	17	9	6	7	12	11	94	100	97	100	52	60
Aim + 2,4-D + Harmony GT	1 oz + 0.75 pt + 0.3 oz	12	7	8	8	16	13	93	100	97	100	57	60
Aim + 2,4-D + Harmony GT	0.5 oz + 0.75 pt + 0.3 oz	7	6	5	7	16	11	93	100	93	100	56	60
Aim + MCPA + Puma	0.5 oz + 0.75 pt + 0.4 pt	25	14	8	10	11	8	94	98	95	98	54	60
Harmony GT + MCPA + Puma	0.3 oz + 0.75 pt + 0.4 pt	0	0	0	4	5	4	22	40	30	100	53	59
Aim + MCPA + Everest + NIS	0.5 oz + 0.75 pt + 0.6 oz + 0.25% v/v	7	8	5	17	32	28	92	100	93	100	49	60
MCPA + Everest + NIS	0.75 pt + 0.6 oz + 0.25% v/v	0	0	0	22	53	42	27	20	33	82	44	59
Untreated		0	0	0	0	0	0	0	0	0	0	54	60
LSD (0.05)		3	2	1	4	7	5	4	2	9	3	NS	NS
CV		14	14	17	24	23	18	4	1	8	2	12	1