acteria are found nearly everywhere, including in most foods. Bacteria double in number every 10 to 30 minutes when exposed to ideal temperatures, pH, nutrients or moisture levels. Controlling temperature is a way to prevent bacteria from growing and possibly causing foodborne illness.

Chefs should not depend on their instincts, cooking time, oven tempera-

ture or product appearance to determine when a product is done: thermometers are important tools for protecting foods.

Several types of thermometers are available for use with foods. Choose thermometers approved by the National Sanitation Foundation (NSF).

Glass mercury-filled thermometers should **never** be used for taking food temperatures because they could break. These thermometers should only be used for taking temperatures of people.





# Types of thermometers

- 1. Bimetal stemmed (or bayonet-style) thermometers have a dial scale with a plastic lens cover and a temperature range from 0 to 220 degrees Fahrenheit (-18 to 105 C).
  - Their stems should be at least 5 inches long.
  - They should have a calibration nut under the dial.
  - They can accurately measure the temperature of relatively thick or deep foods (more than 2 inches) such as beef roasts and foods in stock pots.
- Refrigerator-freezer thermometers may be built-in, hanging or sitting types.
  - They should be checked for accuracy using a calibrated stemmed thermometer: place the thermometers side by side in the refrigerator or freezer and compare readings. Inaccurate refrig-erator-freezer thermometers usu-ally cannot be recalibrated and must be replaced.
- Digital thermometers show temperatures quickly on an easyto-read display.
  - They are available in several sizes and styles, some with interchangeable temperature probes.
  - Some models can be calibrated.
     Change batteries based on use or according to indicator light.
- Candy, meat, microwave and deep-fry thermometers are, as their names suggest, designed for special uses.

FN712 (Revised)

# Hot Foods Hot and Cold Foods Cold:

A Foodservice Guide to Thermometers and Safe Temperatures

**NDSU** 

**EXTENSION** 

North Dakota State University Fargo, North Dakota

# Foodservice/Restaurant Guide to Thermometers and Safe Temperatures

# Calibrate stemmed thermometers regularly

Thermometers can get out of adjustment if they are jarred. Any time thermometers are dropped or exposed to extremes in temperatures, they should be calibrated. All thermometers—regardless of use—should be calibrated at least once a month to maintain their accuracy.

Two acceptable methods for calibration are the Ice Point Method, which is recommended for high altitudes, and the Boiling Point Method.

### Ice Point Method

- Make a thick ice slush using crushed ice and cold water (50/50). Remove thermometer from its case and insert sensing area of thermometer into the center of the ice slush to a depth of at least two inches, avoiding the sides and bottom of the container.
- 2. Allow indicator to stabilize.
- Adjust calibration nut so indicator reads 32 F (0 C).

### **Boiling Point Method**

- Insert sensing area of thermometer into boiling water avoiding sides and bottom of pan.
- 2. Allow indicator to stabilize.
- Adjust calibration nut so indicator reads 212 F (100 C).
   To adjust for high altitudes, decrease setting 1 F (0.6 C) for each 550 feet above sea level.

### **Reviewed April 2020**

This material was originally developed based upon work supported by the Extension Service, U.S. Department of Agriculture, under special project number 95-EFSF-0-3400.

### **Care and Use of Thermometers**

- Remove the protective case on stemmed thermometers.
- Wash thermometers in hot soapy water, rinse with clean hot water, sanitize with a solution of one tablespoon chlorine bleach per gallon of clean lukewarm (at least 75 F) water, and air-dry **before**, **between** and **after** uses. Keep the protective case clean, especially inside the case.
- Place thermometer in the center of the dish or in the thickest part of meat away from bone, inserting to the "dimple" or a minimum of two inches on the stem of the thermometer.
- Take the temperature reading when the needle on the dial has stopped moving for 15 seconds or the digital scale stabilizes.
- Take the temperature of the food in several places to confirm thorough cooking.
- Do not leave thermometers with plastic lens covers in foods during cooking. Use a meat thermometer or other thermometer that can withstand the heat of the oven.

# Store, Cook and Hold Foods at Safe Temperatures

The Danger Zone refers to the temperature range from 41 to 135 degrees Fahrenheit, which provides ideal growth conditions for bacteria.

Cool foods from 135 to 70 F in less than 2 hours, and from 70 to 41 F within 4 hours for a total of 6 hours cooling time.

### Safe Storage Temperatures

Coolers (Refrigerators) 41 F or below Freezers 0 F or below

### **Safe Internal Cooking Temperatures**

Ground beef, pork 155 F (for 15 seconds)

Poultry, stuffed meat, stuffed pasta, stuffing containing

meat or poultry 165 F (for 15 seconds)
Beef Roasts 145 F (for 15 seconds)

130 F (for 112 minutes)

Commercially processed,

ready-to-eat food (cheese sticks) 135 F (for 15 seconds) Cooked products to be reheated 165 F (for 15 seconds)

(within 2 hours)

Fish, eggs (immediate service) 145 F (for 15 seconds) Eggs (hot held) 155 F (for 15 seconds)

\*Measure the temperature of microwave-cooked foods in several places. Do not leave microwave thermometers in the food during cooking unless recommended by the manufacturer. Stir and rotate foods during cooking and allow to stand two minutes after cooking to allow for even distribution of heat.

Reference: FDA Food Code. 2013. Food and Drug Administration of the U.S. Public Health Service. Prepared by **Julie Garden-Robinson**, Ph.D., R.D., L.R.D., Food and Nutrition Specialist

## For more information, visit www.ag.ndsu.edu/food

County commissions, North Dakota State University and U.S. Department of Agriculture cooperating. NDSU does not discriminate in its programs and activities on the basis of age, color, gender expression/identity, genetic information, marital status, national origin, participation in lawful off-campus activity, physical or mental disability, pregnancy, public assistance status, race, religion, sex, sexual orientation, spousal relationship to current employee, or veteran status, as applicable. Direct inquiries to Vice Provost for Title IX/ADA Coordinator, Old Main 201, NDSU Main Campus, 701-231-7708, ndsu.eoaa@ndsu.edu. This publication will be made available in alternative formats for people with disabilities upon request, 701-231-7881.