




FLOOR PLAN



PERSPECTIVE



SIDE ELEVATION



END ELEVATION & FRAMING

NOTES:


- 1) ROOF DESIGN LOAD 40 psf.
MOW FLOOR DESIGN LOAD 70 psf.
LUMBER BENDING STRESS 1500 psi.
- 2) ALL POST & PLANKING IN CONTACT WITH THE GROUND OR MANURE TO BE PRESSURE PRESERVATIVE TREATED. (PPT)

NOTE:



CONSULT LOCAL HEALTH AND BUILDING CODE AUTHORITIES BEFORE STARTING CONSTRUCTION

BASED ON: CORNELL UNIV. PLAN 845


This plan is modified and extended from Plan No. 6024 developed in New Jersey.




COOPERATIVE EXTENSION WORK IN AGRICULTURE AND HOME ECONOMICS			
AND UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING			
HORSE BARN - 26' x 48' GAMBREL ROOF			
N.Y.	'77	6285	SHEET 1 OF 3




WINDOW DETAIL
 0 0.5 1 ft.
 0 0.3 0.6 m



DOOR DETAIL
 0 1 2 ft.
 0 0.3 0.6 m



STALL DOOR POST DETAIL
 0 0.5 1 ft.
 0 0.3 0.6 m



STALL PARTITION ANCHOR
 0 0.5 1 ft.
 0 0.3 0.6 m

COOPERATIVE EXTENSION WORK IN
 AGRICULTURE AND HOME ECONOMICS

AND
 UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING

HORSE BARN - 26' x 48'
GAMBREL ROOF

N.Y. '77 6 2 85 SHEET 3 OF 3