





DOOR SCHEDULE			
MARK	SIZE	TYPE	#REQ'D
1	3'-0" x 6'-8"	SOLID CORE EXTERIOR--GLAZED	1
2	3'-0" x 6'-8"	SOLID CORE EXTERIOR	1
3	3'-0" x 6'-8"	SCREEN AND/OR STORM	1
4	3'-0" x 6'-8"	SOLID CORE EXTERIOR--GLAZED	1
5	3'-0" x 6'-8"	SCREEN AND/OR STORM	14
6	2'-8" x 6'-8"	HOLLOW CORE INTERIOR--GLAZED	1
7	2'-8" x 6'-8"	HOLLOW CORE INTERIOR	1
8	3'-0" x 6'-8"	BI-FOLD	8
9	3'-0" x 6'-8"	FOUR-FOLD	2
10	2'-8" x 6'-8"	BI-FOLD	4



SECTION A-A



SECOND FLOOR PLAN



CONSTRUCTION CHECK LIST

1. CHECK LOCAL BUILDING CODE AND LOAN COMPANY CRITERIA. PARTERS MEET 45 LB SQ/FT TOTAL LOAD DESIGN CRITERIA.
2. ADEQUATELY WALL AND ANCHOR JOINTS.
3. DOUBLE JOISTS UNDER TURS AND OTHER HEAVY LOADS.
4. SHEATH CORNERS WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING.
5. USE EXTERIOR GLED PLYWOOD WHEREVER IT MAY BE WETTED DURING OR AFTER CONSTRUCTION.
6. PRESSURE TREAT ALL WOOD WITH GROUND CONTACT AND PROVIDE OTHER NEEDED TERMITE CONTROL.
7. R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COSTS.
8. PROVIDE 1 SQ FT OF ATTIC VENT OPENINGS FOR EACH 150 SQ FT OF CEILING.
9. WEATHERIZE ALL OPENINGS AND JOINTS.




COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING

5 BEDROOM HOUSE

USDA '65 7181 SHEET 2 OF 3

REV '66



TYPICAL WALL SECTION

COOPERATIVE EXTENSION SERVICE AGRICULTURE AND HOME ECONOMICS			
UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING AND			
5 BEDROOM HOUSE			
USDA '65	7181	SHEET 3 OF 3	
REV	'86		