

PLAN SCALE: 1/4" = 1'-0"

ELECTRICAL KEY	
MARK	TYPE
S	SINGLE POLE SWITCH
3S	THREE WAY SWITCH
D	DUPLEX CONVENIENCE OUTLET
R	RANGE OUTLET
W	SPECIAL PURPOSE OUTLET
W	WATERPROOF WALL OUTLET
W	CILING OUTLET W/PULL SWITCH
W	FLOURESCENT LIGHT FIXTURE


DOOR SCHEDULE			
MARK	SIZE	TYPE	QUANT Y
1	3'-0" x 6'-8"	WOOD, SOLID CORE, EXTERIOR LIGHT	2
2	2'-8" x 6'-8"	" HOLLOW CORE, INTERIOR	4
3	6'-0" x 6'-8"	" BIRDOD (4 PANELS)	3
4	6'-0" x 6'-8"	"	1
5	4'-0" x 6'-8"	" (2 PANELS)	1
6	2'-6" x 6'-8"	"	1
7	4'-0" x 6'-8"	FOLDING PARTITION	1
8	8'-0" x 6'-8"	GLASS, SLIDING	1

WINDOW SCHEDULE			
MARK	SIZE	TYPE	QUANT Y
1	6'-0" x 4'-0"	ALUMINUM, SLIDING (S-F-S)	4
2	4'-0" x 4'-0"	"	1
3	4'-0" x 1'-5"	AWNING	2


COOPERATIVE EXTENSION WORK IN AGRICULTURE AND HOME ECONOMICS  
 UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING AND  
 THREE BEDROOM FRAME HOUSE  
 USDA 79 7209 SHEET 1 OF 3

INTERIOR ELEVATIONS


SCALE:




ELEV. 1




ELEV. 2




ELEV. 3




BASED ON S.C. PLAN 7054




FRONT ELEV.




REAR ELEV.



LEFT ELEV.



RIGHT ELEV.



TYPICAL WALL SECTION

SECTION @ PIER

NOTE: 2x4 FROSTERS MIDWAY BETWEEN FLOOR AND CEILING IN ALL WALLS. 1x4 CROSS BRIDGING ON FLOOR FRAMING MIDWAY OF SPAN.

ELEVATIONS SCALE: 1/4" = 1'-0"

NOTE: ACTUAL ROOFING SIZE AND SIZE & AMOUNT OF ALL REINFORCEMENT DEPEND ON SOIL CONDITIONS AND PROPERTIES. CHECK STATE AND LOCAL CODES BEFORE STARTING CONSTRUCTION.



COOPERATIVE EXTENSION WORK IN AGRICULTURE AND HOME ECONOMICS

UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING			
AND			
THREE BEDROOM FRAME HOUSE			
USDA	7b	7209	SHEET 2 OF 3

