

**NDSU Carrington Research Extension Center
2002 Variety Trial Data**

| Dry Edible Bean - Dryland | | | | | | | Carrington | |
|----------------------------------|-----------------|----------------|------------------------|------------|-------------------------|----------------------|-------------------|---------------------------------|
| Variety | Market Class | Days to Flower | --- Seeds per Pound -- | | | ---- Grain Yield -- | | |
| | | | 2002 | 3-yr. Avg. | Seed Weight gram/100 | Test Weight lb/bu | 2002 | 3-yr. Avg. ----- lb/ac ----- |
| Arthur | Navy | 49.5 | 2764 | 2721 | 16.4 | 63.3 | 1381 | 1942 |
| Buster | Pinto | 42.5 | 1277 | -- | 35.6 | 59.8 | 2232 | -- |
| Grand Mesa | Pinto | 51.0 | 1446 | -- | 31.5 | 60.5 | 2181 | -- |
| Matterhorn | Great Northern | 44.5 | 1399 | 1547 | 32.5 | 58.2 | 1794 | 2062 |
| Maverick | Pinto | 45.0 | 1178 | 1269 | 38.6 | 59.8 | 2073 | 2297 |
| Mayflower | Navy | 47.5 | 2627 | 2605 | 17.3 | 63.1 | 1670 | 2037 |
| Montrose | Pinto | 49.0 | 1246 | -- | 36.5 | 61.7 | 2361 | -- |
| Navigator | Navy | 47.0 | 2591 | -- | 17.6 | 62.5 | 1779 | -- |
| Norstar | Navy | 44.5 | 2587 | 2865 | 17.6 | 62.9 | 1693 | 1856 |
| Onyx | Black | 48.5 | 2651 | -- | 17.1 | 61.2 | 1353 | -- |
| Othello | Pinto | 45.0 | 1217 | 1352 | 37.3 | 62.9 | 2517 | 2282 |
| Red Hawk | Dark Red Kidney | 47.0 | 1077 | 1110 | 42.2 | 55.8 | 1234 | 1458 |
| Remington | Pinto | 44.0 | 1421 | -- | 32.0 | 59.8 | 1745 | -- |
| T-39 | Black | 47.0 | 2414 | 2446 | 18.9 | 62.6 | 1841 | 2062 |
| Topaz | Pinto | 43.0 | 1348 | 1430 | 33.7 | 57.9 | 1600 | 1737 |
| Vista | Navy | 47.5 | 2711 | -- | 16.9 | 63.8 | 1726 | -- |
| MEAN | | 46.0 | 1810 | -- | 29.0 | 60.9 | 1907 | -- |
| C.V.% | | 2.3 | 5.9 | -- | 4.6 | 0.9 | 12.4 | -- |
| LSD.05 | | 2.2 | 151 | -- | 1.9 | 0.7 | 333 | -- |

Planting Date = May 28; Harvest Date = Various, based on maturity; Previous Crop = Durum