

**NDSU Carrington Research Extension Center
2007 Variety Trial Data**

Flax						Carrington		
Variety	Days to Flower	Plant Height inch	Plant Lodge 0 to 9	Oil Content %, @9.0%M	Test Weight lb/bu	----- Grain Yield -----		
						2007	2-yr. Avg.	3-yr. Avg.
						----- bu/ac -----		
AC Watson	46.3	22.2	0.0	38.4	52.2	16.5	--	--
CDC Arras	49.0	22.1	0.0	38.7	52.4	18.4	13.5	17.8
CDC Bethune	49.0	22.7	0.0	39.6	52.9	18.9	13.4	18.9
Carter	49.0	22.1	0.0	38.4	52.6	17.7	13.6	18.2
Hanley	48.0	22.0	0.0	36.8	52.0	13.2	--	--
Neché	48.5	23.4	0.0	39.3	52.3	19.4	14.0	17.8
Nekoma	48.5	22.3	0.0	40.5	53.3	16.3	12.1	17.4
Omega	49.0	21.7	0.0	38.5	52.6	16.2	12.5	17.6
Scorpion	47.3	20.5	0.0	38.5	51.0	15.8	--	--
Pembina	48.8	22.6	0.0	40.2	53.4	19.9	13.7	17.1
Prairie Blue	50.5	22.4	0.0	37.9	52.4	19.9	15.1	18.8
Prairie Thunder	48.3	19.9	0.0	37.9	52.5	17.9	--	--
Rahab 94	48.3	21.7	0.0	39.4	52.1	19.0	13.3	18.7
Taurus	50.0	21.1	0.0	39.4	53.5	17.2	13.3	18.0
Webster	50.0	22.3	0.0	39.9	53.3	11.5	10.1	16.6
York	49.8	21.1	0.0	38.9	54.0	18.3	13.8	18.1
MEAN	48.6	21.8		39.2	52.6	17.3	--	--
C.V.%	1.2	6.1		3.0	1.5	15.5	--	--
LSD.05	0.8	1.9		1.7	1.1	3.8	--	--

Planting Date = May 15 ; Harvest Date = September 5 ; Previous Crop = Spring Wheat

Lodging Score: 0 = no lodging; 9 = plants lying flat.