

**NDSU Carrington Research Extension Center
2009 Variety Trial Data**

Emmer - Organic						Carrington
Variety	Days to Heading	Plant Lodge	Plant Height	Seeds per lb	Test Weight	Seed Yield
		0-9	inch		lb/bu	lb/ac
Bowman	60.7	0.7	33.9	7793.4	38.2	1524.6
Debra*	53.7	0.0	21.0	10772.6	52.0	1223.4
Lucille	60.0	0.0	34.1	6810.0	38.3	2324.1
Vernal	59.0	0.0	31.0	6930.2	38.6	1835.5
Common-H	61.3	0.3	32.9	8071.1	38.1	1856.0
Common-M	61.0	0.7	34.1	7867.2	38.4	1732.2
Common-MC	61.0	0.0	33.3	7088.3	38.0	2048.5
Common-R	61.7	1.3	35.7	7371.6	39.1	1864.9
ND Common	61.0	1.0	34.0	7303.6	39.2	2186.4
Red Vernal	61.3	0.0	32.9	5981.3	38.1	2216.9
Mean	60.1	0.4	32.3	7599	39.8	1881.2
C.V. (%)	0.8	115.8	6.5	9.3	4.0	16.4
LSD 0.05	0.9	0.8	3.6	1206	2.7	529.3

Planting Date = May 11; Harvest Date = August 24; Previous Crop = Green Manure Cover Crop (sudangrass, ryegrass, peas, lentils, turnip, & rape)

*Majority of the hulls of Debra thrashes freely, reflecting the lower seed yield and higher test weight.