

**NDSU Carrington Research Extension Center
2009 Variety Trial Data**

| | |
|---------------------|-------------------|
| Spring Spelt | Carrington |
|---------------------|-------------------|

| Variety | Type | Days to Heading | Plant Lodge | Plant Height | Seeds per lb | Test Weight | ----- Seed Yield ----- | |
|------------|---------|-----------------|-------------|--------------|--------------|-------------|------------------------|-------------------|
| | | | | | | | 2009 | 2-yr. Avg. |
| | | | 0-9 | inch | | | lb/bu | ----- lb/ac ----- |
| 94288 | spelt | 57.8 | 1.0 | 33.9 | 6233.2 | 27.2 | 2078.1 | -- |
| AC Boveria | spelt | 67.5 | 3.3 | 47.4 | 5685.6 | 26.6 | 2512.2 | 2498.2 |
| CDC Zorba | spelt | 64.5 | 0.0 | 45.5 | 5239.9 | 27.8 | 2849.4 | -- |
| SK3P | spelt | 60.0 | 1.8 | 44.8 | 5572.4 | 31.2 | 1902.9 | 2450.0 |
| TM23 | einkorn | 64.0 | 1.5 | 34.2 | 11308.2 | 33.5 | 1512.2 | 2164.9 |
| Mean | | 62.8 | 1.5 | 41.1 | 6808.5 | 29.3 | 2171 | -- |
| C.V. (%) | | 1.1 | 55.4 | 4 | 10.7 | 4.2 | 24.7 | -- |
| LSD 0.05 | | 1.1 | 1.3 | 2.5 | 1122.5 | 1.9 | 827.3 | -- |

Planting Date = May 8; Harvest Date = September 3; Previous Crop = Soybean