

Northern Hardy Fruit Evaluation Project - 2018

Carrington

| Type of Plant | Cultivar Name | Number of plants | Year Planted | Ave Height cm | Canopy Width cm | Ave Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt of 10 berries gm | Brix | pH | %TA titratable | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | | | | | | | | | | | | | | | | | |
|---|--------------------|------------------|--------------|---------------|-----------------|---------------|------------------|--------------|--------------------|--------------------------|------|------|----------------|----------|-------------|-------------------|----------------------------|-------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trunk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Caliper mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Apples - <i>Malus domestica</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Haralred | 2 | 2006 | -- | Too large | 4.0 | Y | 10/3 | -- | -- | -- | -- | -- | -- | -- | -- | -- | Good crop, watercored | | | | | | | | | | | | | | | | |
| | Haralred | 2 | 2008 | -- | large | 3.0 | Y | 10/3 | -- | -- | -- | -- | -- | -- | -- | -- | -- | Good crop, watercored | | | | | | | | | | | | | | | | |
| | Hazen | 4 | 2006 | -- | to measure | 5.0 | Y | 8/28-9/6 | 118,984 | -- | -- | -- | -- | -- | -- | -- | -- | Large crop | | | | | | | | | | | | | | | | |
| | Sweet Sixteen | 4 | 2006 | -- | " | 5.0 | Y | 10/3 | 54,075 | -- | -- | -- | -- | -- | -- | -- | -- | Medium crop | | | | | | | | | | | | | | | | |
| | Honey Crisp | 6 | 2006 | -- | " | 5.0 | Y | 9/28-10/3 | 195,809 | -- | -- | -- | -- | -- | -- | -- | -- | Average crop on 6 trees | | | | | | | | | | | | | | | | |
| | Zestar | 4 | 2007 | -- | " | 5.0 | Y | 8/28-9/6 | 66,284 | -- | -- | -- | -- | -- | -- | -- | -- | 3 trees med crop, 1 good | | | | | | | | | | | | | | | | |
| Plums - Native x <i>P. salicina</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Prairie Red Hyb. | 2 | 2010 | -- | Too large | 3.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | No fruit | | | | | | | | | | | | | | | | |
| | Pembina | 3 | 2006 | -- | large | 5.0 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2.0 | Very little fruit | | | | | | | | | | | | | | | | |
| | Pipestone | 5 | 2006 | -- | to measure | 3.8 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2.0 | Small crop | | | | | | | | | | | | | | | | |
| | Toka | 2 | 2006 | -- | " | 5.0 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2.0 | Very little fruit | | | | | | | | | | | | | | | | |
| | Waneta | 5 | 2006 | -- | " | 4.6 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2.0 | Very little fruit | | | | | | | | | | | | | | | | |
| Pears - <i>Pyrus communis</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Ayers | 2 | 2015 | 264 | 48 | 4.0 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Not fully hardy. Remove | | | | | | | | | | | | | | | | |
| | Ely | 2 | 2015 | 270 | 40 | 3.5 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Nice growth for homeowners | | | | | | | | | | | | | | | | |
| | Nova | 2 | 2015 | 356 | 63 | 5.0 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Tall, sort of lanky, upright. | | | | | | | | | | | | | | | | |
| | Patten | 2 | 2015 | 351 | 50 | 5.0 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Big, lanky, upright growth | | | | | | | | | | | | | | | | |
| | Schroeder Hardy ND | 2 | 2015 | 346 | 46 | 5.0 | Yes | 9/8-14 | -- | -- | -- | -- | -- | -- | -- | -- | -- | About 35 pears per tree | | | | | | | | | | | | | | | | |
| | Stacey | 2 | 2015 | 355 | 72 | 5.0 | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very pyramidal and tall | | | | | | | | | | | | | | | | |
| Aronia - <i>Aronia mitschurinii</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Galicjanka | 4 | 2013 | 123 | 162 | 3.8 | Y | 8/27 | 13162 | 7.5 | 16.8 | 3.25 | 1.30 | -- | -- | 0.5 | All, crop overload 2018 | | | | | | | | | | | | | | | | | |
| | McKenzie | 4 | 2010 | 155 | 212 | 4.8 | Y | 8/28-30 | 35393 | 9.1 | 17.0 | 3.30 | 1.45 | -- | -- | 0.5 | All, crop failure 2017 | | | | | | | | | | | | | | | | | |
| | Nero | 4 | 2007 | 178 | 235 | 4.3 | Y | 9/10-11 | 35504 | 5.9 | 18.9 | 3.31 | 1.44 | -- | -- | 0.5 | Most berries undersized | | | | | | | | | | | | | | | | | |
| | Raintree Seedling | 4 | 2007 | 165 | 279 | 5.0 | Y | 9/12-13 | 31907 | 6.6 | 21.3 | 3.30 | 1.55 | -- | -- | 0.5 | and astringent | | | | | | | | | | | | | | | | | |
| | Raintree Select | 4 | 2007 | 211 | 270 | 4.5 | Y | 8/31-9/5 | 42777 | 7.2 | 18.0 | 3.30 | 1.40 | -- | -- | 0.5 | Sorted for bigger berries | | | | | | | | | | | | | | | | | |
| | Viking | 4 | 2007 | 198 | 270 | 4.5 | Y | 8/22-9/6 | 47987 | 6.8 | 17.9 | 3.35 | 1.32 | -- | -- | 0.5 | which left 100 lbs 'good'. | | | | | | | | | | | | | | | | | |
| Dwarf Hardy Cherry - <i>P. cerasus</i> x <i>P. fruticosa</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Carmine Jewel | 12 | 2007 | -- | -- | 5.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | 3.0 | SWD all. Removing 2019. | | | | | | | | | | | | | | | | | |
| | Crimson Passion | 11 | 2007 | -- | -- | 4.0 | N | -- | -- | -- | -- | -- | -- | -- | -- | 3.0 | Gummosis throughout | | | | | | | | | | | | | | | | | |
| Red Currants - <i>Ribes rubrum</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Jhonkheer Van Tets | 4 | 2008 | 131 | 151 | 4.8 | Y | 7/25 | 1454 | -- | -- | -- | -- | -- | 0 | -- | 2.0 | Too ripe - v soft | | | | | | | | | | | | | | | | |
| | Rosetta | 4 | 2007 | 121 | 142 | 5.0 | Y | -- | -- | -- | -- | -- | -- | 0 | -- | 2.0 | SWD affected all reds | | | | | | | | | | | | | | | | | |
| | Rovada | 4 | 2007 | 126 | 158 | 4.8 | Y | 7/25-8/1 | 5649 | 4.6 | 12.8 | 2.77 | 3.1 | 0 | -- | 2.0 | Not as sweet as expected | | | | | | | | | | | | | | | | | |
| | Hron | 4 | 2014 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very few berries again | | | | | | | | | | | | | | | | | |

| Type of Plant | Cultivar Name | Number of plants | Year Planted | Ave Height cm | Canopy Width cm | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt of 10 berries gm | | | Brix | pH | % TA titratable | Insect Rust 0-3 | Disease 0-3 | Damage 0-3 | Note |
|---|------------------|------------------|--------------|---------------|-----------------|-----------|------------------|--------------|--------------------|--------------------------|------|------|------|-----|-----------------|-----------------|----------------------------------|----------------------------------|-----------------------|
| | | | | | | | | | | % solids = % sugars | Brix | pH | | | | | | | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | | | | | | | | | |
| | Demo and Trial 1 | | | | | | | | | | | | | | | | | | |
| Ben Lomand | | 4 | 2008 | 116 | 175 | 4.8 | Y | 7/25 | 2246 | 10.1 | 15.8 | 2.80 | 4.01 | 1 | -- | 1.0 | Regrowth year. Overripe | | |
| Blackcomb | | 4 | 2011 | 136 | 152 | 5.0 | Y | 8/1 | 8000 | 10.9 | 17.8 | 2.64 | 5.29 | 0 | -- | 1.0 | Regrowth year. Thick leaves | | |
| Champion | | 4 | 2008 | 128 | 156 | 5.0 | Y | 7/25 | 5207 | 8.4 | 17.0 | 2.80 | 4.51 | 3 | -- | 1.0 | Regrowth year. Good fruit | | |
| Minaj Smyriou | | 4 | 2008 | 114 | 165 | 4.5 | Y | 7/18 | 2481 | 9.3 | -- | -- | -- | 0 | -- | 1.0 | Forgot to freeze sample. | | |
| Black Down WF | | 5 | 2007 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | 1 | -- | 1.0 | Did not pick. | | |
| Titania | | 4 | 2007 | -- | -- | -- | Y | 7/18 | 1159 | 11.1 | -- | -- | -- | 0 | -- | 1.0 | Recovery from 2017 pruning | | |
| Whistler | | 3 | 2011 | -- | -- | -- | Y | 7/31 | 2875 | 12.2 | 17.3 | 2.68 | 5.01 | 0 | -- | 1.0 | Recovery from 2017 pruning | | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | | | | | | | | | Juice notes |
| | Demo and Trial 2 | | | | | | | | | | | | | | | | | | |
| Blackcomb | | 15 | 2014 | 108 | 133 | 4.3 | Y | 8/7 | 27660 | 9.7 | 17.8 | 2.66 | 5.01 | 0 | -- | -- | 3.0 | | |
| Cheakamus | | 15 | 2014 | 110 | 140 | 4.6 | Y | 7/31 | 36233 | 13.3 | 15.9 | 2.71 | 4.19 | 0 | -- | -- | Mild. Evenly ripe! | | |
| Stikine | | 15 | 2014 | 124 | 168 | 4.9 | Y | 7/24 | 23724 | 13.0 | 15.2 | 2.69 | 3.78 | 0 | -- | -- | Berries run early | | |
| Tahsis | | 15 | 2014 | 105 | 153 | 4.9 | Y | 7/26 | 37939 | 14.9 | 15.0 | 2.76 | 3.34 | 0 | -- | -- | Mild. Low fruit ran. Uneven size | | |
| Tiben | | 15 | 2014 | 106 | 132 | 4.5 | Y | 8/6 | 37334 | 9.8 | 17.2 | 2.69 | 4.49 | 0.5 | -- | -- | Nice taste, too many stems | | |
| Tofino | | 14 | 2014 | 107 | 122 | 4.2 | Y | 8/8 | 6484 | 9.3 | 18.0 | 2.87 | 2.99 | 0 | -- | -- | Terrible. Tricolor, ran, bland | | |
| Nechako 2 ft spacing | | 7 | 2014 | 93 | 101 | 3.0 | Y | 8/9 | 5750 | 7.1 | 19.2 | 2.91 | 3.17 | 0 | -- | -- | Better taste just sl cardboardy | | |
| Nechako 3 ft spacing | | 7 | 2014 | 97 | 114 | 3.4 | Y | 8/9 | 8462 | 8.1 | 19.0 | 2.91 | 3.19 | 0 | -- | -- | tight cling: more handpicking | | |
| Chilko | | 4 | 2014 | 103 | 143 | 5.0 | Y | 8/8 | 7418 | 11.6 | 17.4 | 2.78 | 4.55 | 0 | -- | -- | Sweet. Too ripe, mild flavor. | | |
| M1 | | 2 | 2014 | 88 | 107 | 3.3 | Y | 7/25 | 2374 | 11.1 | 17.4 | 2.70 | 4.57 | 0 | -- | -- | Overripe | | |
| M19 | | 2 | 2014 | 96 | 122 | 4.0 | Y | 7/24 | 3808 | 14.0 | 16.8 | 2.75 | 3.57 | 0 | -- | -- | Very sweet, too ripe? | | |
| M12 | | 2 | 2014 | -- | -- | -- | N | -- | -- | -- | -- | -- | -- | -- | -- | -- | Small. Poor transplants | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp emphylocalyx</i>. | | | | | | | | | | | | | | | | | | | Dr. Thompson's plants |
| 43-87 | | 2 | 2008 | 150 | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Harvested, no evaluation | |
| 43-97 | | 2 | 2008 | 153 | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Harvested, no evaluation | |
| 45-57 | | 1 | 2008 | 162 | -- | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Harvested, no evaluation | |
| 20-04 | | 3 | 2012 | 127 | 156 | 5 | Y | 6/26 | 1481 | 11.6 | 11.0 | 2.81 | 2.69 | -- | -- | -- | -- | Remove: Falls. Sour, bland | |
| 21-20 | | 3 | 2012 | 113 | 123 | 5 | Y | 7/2 | 2669 | 9.2 | 11.6 | 2.76 | 2.90 | -- | -- | -- | -- | Remove: Too soft, bland | |
| 22-14 | | 3 | 2012 | 117 | 158 | 5 | Y | 6/28 | 2941 | 19.8 | 13.4 | 2.56 | 4.45 | -- | -- | -- | -- | Remove: Too loose, tart | |
| 22-26 | | 3 | 2012 | 119 | 142 | 5 | Y | 6/26 | 4041 | 12.7 | 13.4 | 2.73 | 3.27 | -- | -- | -- | -- | Snappy skin. A day or 2 early | |
| 41-75 | | 3 | 2012 | 120 | 163 | 5 | Y | 6/22 | 4362 | 12.7 | 11.6 | 2.66 | 3.60 | -- | -- | -- | -- | Remove: Falls. Mushy | |
| 44-19 | | 3 | 2012 | 119 | 134 | 5 | Y | 7/2 | 3246 | 10.0 | 15.1 | 2.84 | 3.23 | -- | -- | -- | -- | Branches droop. Uneven size | |
| 57-49 | | 3 | 2012 | 129 | 173 | 5 | Y | 7/2 | 4619 | 18.8 | 14.1 | 2.79 | 3.38 | -- | -- | -- | -- | Blocky shape, even size | |
| 88-92 | | 3 | 2012 | 137 | 175 | 5 | Y | 6/27 | 2816 | 14.0 | 13.6 | 2.84 | 3.00 | -- | -- | -- | -- | Weak branches | |
| 88-102 | | 2 | 2012 | 137 | 137 | 5 | Y | 6/26 | 2144 | 15.5 | 12.9 | 2.82 | 2.62 | -- | -- | -- | -- | Firmer berry but falls | |
| 108-23 | | 3 | 2012 | 128 | 161 | 5 | Y | 6/26 | 4050 | 12.7 | 13.0 | 2.95 | 2.09 | -- | -- | -- | -- | Ave flav, pasty texture, #2 2017 | |
| 131-08 | | 3 | 2012 | 117 | 158 | 5 | Y | 7/5 | 3955 | 24.5 | 10.1 | 2.87 | 2.28 | -- | -- | -- | -- | 1st: Good moisture = good fruit | |
| 142-30 | | 3 | 2012 | 112 | 127 | 5 | Y | 6/28 | 2573 | 12.0 | 12.3 | 2.93 | 2.39 | -- | -- | -- | -- | Ave. berry. Thick texture | |
| 78-89 | | 2 | 2015 | 91 | 109 | 4.5 | Y | 7/5 | 1590 | 17.9 | 15.6 | 2.77 | 2.90 | -- | -- | -- | -- | 2 sizes: lrg + med | |

Northern Hardy Fruit Evaluation Project - 2018

Page 3

Carrington

| Type of Plant | Cultivar Name | Number of plants | Year Planted | Ave Height cm | Canopy Width cm | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Ave. Wt | | | pH | % TA titratable | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note |
|---|---------------|------------------|--------------|---------------|-----------------|-----------|------------------|--------------|--------------------|-------------------------|---------------------|------|-----------------|----------|-------------|------------------------------|--------------------------------|
| | | | | | | | | | Weight of Fruit gm | Weight of 10 berries gm | % solids = % sugars | | | | | | |
| Edible Blue Honeysuckle [Russian Honeyberry] <i>Lonicera caerulea ssp edulis or kamtschatica</i> | | | | | | | | | | | | | | | | | |
| Berry Blue | 4 | 2007 | 213 | 260 | 5.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not pick. |
| Blue Belle | 4 | 2007 | 136 | 160 | 4.5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not pick. |
| Kamchatka | 4 | 2007 | 166 | 205 | 5.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not pick. |
| Edible Blue Honeysuckle [Canadian Haskap] <i>Lonicera caerulea ssp edulis x ssp kamtschatica</i> | | | | | | | | | | | | | | | | | |
| Indigo Gem (9-15) | 5 | 2008 | 152 | -- | 5.0 | Y | 6/21 | 1646 | 7.7 | 14.4 | 3.20 | 1.61 | -- | -- | -- | -- | |
| Indigo Treat (9-91) | 2 | 2008 | 160 | -- | 5.0 | Y | 6/21 | 1673 | 5.7 | 14.4 | 3.20 | 2.10 | -- | -- | -- | -- | |
| Tundra (9-84) | 2 | 2008 | 153 | -- | 5.0 | Y | 6/21 | 2178 | 5.6 | 14.2 | 3.17 | 2.23 | -- | -- | -- | -- | |
| Borealis (9-94) | 3 | 2008 | 141 | -- | 5.0 | Y | 6/22 | 755 | 7.6 | 14.1 | 3.19 | 2.18 | -- | -- | -- | -- | |
| MT 46-55 | 1 | 2009 | 110 | -- | 4.0 | Y | 7/2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2 plants look as 1. East=tasty |
| Aurora | 1 | 2014 | 90 | 82 | 4.1 | Y | 7/2 | 101 | 22.8 | 15.8 | 3.09 | 2.01 | -- | -- | -- | -- | Wow these are tasty |
| Aurora | 2 | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | New |
| Boreal Beast | 1 | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | New |
| Boreal Beauty | 2 | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | New |
| Boreal Blizzard | 1 | 2018 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | New |
| Juneberry - <i>Amelanchier alnifolia</i> | | | | | | | | | | | | | | | | | |
| Honeywood | 20 | 2006 | -- | -- | -- | Y | 7/10 | 31000* | 8.0 | 13.3 | 3.75 | 0.55 | -- | 0.5 | 0.5 | Disease = Entomosporium | |
| JB30 | 20 | 2006 | -- | -- | -- | Y | 7/5-9 | 27597* | 11.3 | 14.2 | 3.78 | 0.43 | -- | 0.5 | 0.5 | leaf and berry spot. | |
| Martin | 20 | 2006 | -- | -- | -- | Y | 7/5-9 | 31143* | 13.0 | 15.4 | 3.67 | 0.55 | -- | 0.5 | 0.5 | V little rust. | |
| Smoky | 20 | 2006 | -- | -- | -- | Y | 7/11-12 | 52636* | 8.3 | 14.1 | 3.96 | 0.37 | -- | 0.5 | 0.5 | Insect = lace bug | |
| Thiessen | 20 | 2006 | -- | -- | -- | Y | 7/6-11 | 27262* | 13.3 | 14.6 | 3.67 | 0.55 | -- | 0.5 | 0.5 | and SWD | |
| Hazelnuts - [(<i>Corylus americana</i> x <i>C. avellana</i>) x Cultivated Oregon <i>Corylus</i> species] | | | | | | | | | | | | | | | | | |
| 1 | 1 | 2007 | 336 | 315 | 5.0 | Y | 8/30 | 136 | 22.4 | -- | -- | 2 | -- | -- | -- | 2018 First winter damage | |
| 2 | 1 | 2007 | 210 | 156 | 1.0 | Y | 8/27 | 79 | 15.4 | -- | -- | 0.50 | -- | -- | -- | Compact plant, poor shuck | |
| 3 | 1 | 2007 | 300 | 260 | 5.0 | Y | 8/30 | 1074 | 20.4 | -- | -- | 1 | -- | -- | -- | Good crop, shucked well | |
| 4 | 1 | 2007 | 294 | 230 | 4.0 | Y | 8/30 | 56 | 12.1 | -- | -- | 2 | -- | -- | -- | 2017 + 18 winter damage | |
| 5 | 1 | 2007 | 220 | 206 | 3.0 | Y | -- | -- | -- | -- | -- | 2 | -- | -- | -- | 2017 + 18 winter damage | |
| 6 | 1 | 2007 | 270 | 250 | 5.0 | Y | 8/27 | 1253 | 12.7 | -- | -- | 0 | -- | -- | -- | Good crop, small nuts | |
| Hazelnuts - (<i>Corylus americana</i> x ?) Riverbend Hazelnuts, Dan Johnson | | | | | | | | | | | | | | | | | |
| 2N-77 | 1 | 2014 | 216 | 220 | 5.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | | |
| 2J-127 | 1 | 2014 | 190 | 184 | 5.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | | |
| 2J-141 | 1 | 2014 | 228 | 240 | 5.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | Good fall color, nice shape | |
| 2N-25 | 1 | 2014 | 180 | 164 | 4.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | | |
| W-5 | 1 | 2014 | 154 | 150 | 3.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | Slim-branched, compact plant | |
| 2T-111 | 1 | 2014 | 230 | 220 | 5.0 | N | -- | -- | -- | -- | -- | 0 | -- | -- | -- | Some fall color | |