

Hard Red Spring Wheat - 2008
Nelson County-Michigan

| Variety | Days to Head | Test Weight lbs/bu | Tomb- stone % | Protein % | Grian Yield | | | Average Yield | |
|------------|-----------------|--------------------------|---------------------|--------------|-------------|------|------|---------------|-----------|
| | | | | | 2006 | 2007 | 2008 | 2 year | 3 year |
| Ada | 64 | 61.2 | 1.0 | 13.8 | 66.7 | 56.7 | 77.4 | 67.1 | 66.9 |
| Albany | 68 | 60.0 | 0.8 | 12.8 | -- | -- | 84.8 | -- | -- |
| Alsen | 62 | 61.0 | 0.5 | 13.9 | 62.0 | 52.3 | 72.0 | 62.2 | 62.1 |
| Breaker | 65 | 61.4 | 1.0 | 13.7 | -- | -- | 81.2 | -- | -- |
| Briggs | 60 | 60.5 | 1.3 | 13.8 | 61.7 | 62.0 | 80.4 | 71.2 | 68.0 |
| Faller | 64 | 60.7 | 0.5 | 13.2 | 67.7 | 72.5 | 91.3 | 81.9 | 77.2 |
| Freyr | 64 | 58.8 | 0.3 | 13.9 | 55.9 | 55.4 | 74.2 | 64.8 | 61.8 |
| Glenn | 60 | 62.4 | 0.3 | 14.4 | 66.0 | 65.2 | 71.7 | 68.5 | 67.6 |
| Hat Trick | 62 | 61.6 | 0.3 | 13.3 | -- | -- | 85.5 | -- | -- |
| Howard | 62 | 60.4 | 2.0 | 13.7 | 66.8 | 66.2 | 74.4 | 70.3 | 69.1 |
| Kelby | 62 | 61.1 | 0.5 | 14.2 | 61.7 | 61.6 | 73.7 | 67.7 | 65.7 |
| Kundson | 63 | 59.6 | 1.3 | 13.2 | 64.1 | 64.6 | 82.3 | 73.5 | 70.3 |
| Kuntz | 64 | 60.3 | 1.0 | 13.4 | -- | 56.4 | 83.5 | 70.0 | -- |
| RB07 | 60 | 60.2 | 0.5 | 13.4 | -- | 65.4 | 81.6 | 73.5 | -- |
| Samson | 63 | 59.2 | 6.0 | 13.7 | -- | -- | 82.1 | -- | -- |
| Steele-ND | 64 | 60.6 | 1.0 | 14.1 | -- | 59.1 | 75.4 | 67.3 | -- |
| Tom | 62 | 61.1 | 0.3 | 14.0 | -- | -- | 80.7 | -- | -- |
| Traverse | 61 | 58.8 | 0.3 | 13.0 | 64.0 | 56.8 | 85.3 | 71.1 | 68.7 |
| Trial Mean | 62.7 | 60.5 | 1.0 | 13.6 | 63.7 | 55.5 | 79.8 | -- | -- |
| C.V. % | 1.2 | 0.8 | 85.3 | 2.4 | 6.6 | 5.7 | 4.9 | -- | -- |
| LSD 5% | 1.0 | 0.7 | 1.2 | 0.5 | 5.9 | 5.2 | 5.5 | -- | -- |

Planting Date: May 2

Harvest Date: August 26

2006 and 2007 yield data are from the Pekin location in Nelson County.