

Hard Red Spring Wheat Variety - 2006

Williams County, Ray

Cultivar	Plant Height in	1000 KWT gms	Test Weight lbs/bu	Grain Protein %	Grain Yield			
					2004	2005	2006	3 yr avg
					----- bu/ac -----			bu/ac
Alsen	26	19.5	55.7	17.1	58.4	48.7	26.9	44.7
Amidon	29	20.9	56.0	15.1	51.2	51.2	29.3	43.9
Choteau	25	19.7	56.1	16.3	59.1	47.3	29.5	45.3
Dapps	30	18.1	53.2	17.4	54.6	51.8	27.0	44.5
Freyr	29	18.1	55.9	16.3	59.6	51.5	30.8	47.3
Glenn	30	19.8	57.9	16.5	54.0	50.8	31.0	45.3
Granger	29	20.9	55.4	16.4	60.2	58.7	32.4	50.4
Granite	26	18.5	59.8	18.0	55.6	48.0	30.7	44.8
Howard	27	17.8	54.7	16.3	--	51.4	29.7	--
Knudson	25	21.8	57.6	15.7	59.7	54.5	29.9	48.0
McNeal	25	20.5	55.4	16.6	58.7	46.3	30.6	45.2
Norpro	25	19.0	55.8	15.0	57.2	50.0	31.3	46.2
Outlook	27	20.8	55.3	15.7	60.8	50.2	31.6	47.5
Parshall	29	17.3	55.1	17.0	54.8	51.6	26.9	44.4
Reeder	26	18.7	54.9	16.7	63.4	49.8	33.3	48.8
Steele-ND	29	18.7	53.8	16.1	--	53.4	31.3	--
Mean	27	19.4	55.7	16.3	57.1	50.9	29.9	--
CV%	6	5.8	1.7	4.9	6.6	4.4	7.3	--
LSD 0.05	3	2.4	2.0	NS	6.3	3.8	3.6	--

Planting Date: May 12 in fallow

Harvest Date: August 8

Grain protein percentages reported on a 12% moisture basis