

# **SECTION IV**

## **MISCELLANEOUS COOPERATIVE**

### **RESEARCH**

## TABLE OF CONTENTS

	<b>Page</b>
Cutworm Pheromone Project	1
Woody Plant Material Field Evaluation	5

## Pheromone Trap Catch Summary 1984

John D. Busacca, Assistant Professor  
Dennis D. Kopp, Extension Entomologist  
North Dakota State University, Entomology Dept.

City	DS	RB	AC	AW	CB	SM	Total
Bismarck	104	31	20	180	29	43	407
Dickinson	576	36	22	122	4	2	762
Williston	298	68	17	70	8	21	482
Carrington	324	182	3	93	10	0	612
Minot	94	32	0	31	1	5	163
Langdon	168	262	8	42	0	1	481
Hettinger	110	9	4	64	0	0	187
Cogswell	35	0	0	11	29	4	79
<b>Total</b>	1709	620	74	613	81	76	3173

DS Darksided Cutworm  
RB Redbacked Cutworm  
AC Army Cutworm  
AW Armyworm  
CB European Corn Borer  
SM Sunflower Moth

### 1984 PHEROMONE TRAP CATCH

LOCATION	MMDDYY	DS	RB	AC	AW	CB	SM
BISMARCK	50784	•	•	•	0	0	•
BISMARCK	51484	•	•	•	0	0	•
BISMARCK	52184	•	•	•	1	1	•
BISMARCK	52884	•	•	•	2	0	•
BISMARCK	60484	0	0	0	8	2	0
BISMARCK	61184	0	0	1	10	1	0
BISMARCK	61884	2	1	0	7	3	1
BISMARCK	62584	0	0	0	16	2	0
BISMARCK	70284	3	3	3	39	4	3
BISMARCK	70984	5	2	6	42	0	2
BISMARCK	71684	0	6	4	15	2	0
BISMARCK	72384	6	4	0	8	1	1
BISMARCK	73084	0	1	2	10	4	4
BISMARCK	80684	11	3	1	6	1	0
BISMARCK	81384	36	2	0	10	3	7
BISMARCK	82084	20	6	1	3	1	12
BISMARCK	82784	10	3	0	1	2	8
BISMARCK	90384	6	0	2	2	1	4
BISMARCK	91084	3	0	0	0	0	0
BISMARCK	91784	0	0	0	0	1	1
BISMARCK	92484	2	0	0	0	0	0
DICKINSO	50784	•	•	•	0	0	•
DICKINSO	51484	•	•	•	0	0	•
DICKINSO	52184	•	•	•	0	0	•
DICKINSO	52884	•	•	•	0	0	•
DICKINSO	60484	•	•	•	2	0	•
DICKINSO	61184	3	0	0	4	0	0
DICKINSO	61884	4	0	0	16	0	0
DICKINSO	62584	24	0	1	33	1	2
DICKINSO	70284	14	0	0	25	1	0
DICKINSO	70984	18	0	0	21	0	0
DICKINSO	71684	8	1	0	5	0	0
DICKINSO	72384	0	4	0	0	0	0
DICKINSO	73084	1	5	0	0	0	0
DICKINSO	80684	12	5	0	0	0	0
DICKINSO	81384	20	6	0	0	0	0
DICKINSO	82084	23	6	0	3	0	0
DICKINSO	82784	60	1	0	2	0	0
DICKINSO	90384	130	0	0	0	2	0
DICKINSO	91084	94	5	0	3	0	0
DICKINSO	91784	63	1	0	3	0	0
DICKINSO	92184	56	2	3	5	0	0
DICKINSO	101284	46	0	18	0	0	0
WILLISTO	50884	•	•	•	0	0	•
WILLISTO	51484	•	•	•	0	0	•
WILLISTO	52184	•	•	•	0	0	•
WILLISTO	52884	•	•	•	0	0	•
WILLISTO	60484	•	•	•	0	0	•

LOCATION	MMDDYY	DS	RB	AC	AW	CB	SM
WILLISTO	61184	0	0	0	3	0	1
WILLISTO	61884	0	0	0	4	0	5
WILLISTO	62584	1	8	0	13	0	1
WILLISTO	70284	1	0	0	5	1	6
WILLISTO	70984	0	0	0	2	0	5
WILLISTO	71684	0	0	0	11	0	0
WILLISTO	72384	6	0	0	1	•	3
WILLISTO	73184	7	3	0	0	2	0
WILLISTO	80684	8	24	0	1	0	0
WILLISTO	81384	7	26	0	1	0	0
WILLISTO	82084	63	0	0	1	1	0
WILLISTO	82084	59	1	0	3	3	0
WILLISTO	90484	44	1	0	0	1	0
WILLISTO	91184	30	2	1	11	0	0
WILLISTO	91784	27	2	2	5	•	•
WILLISTO	100184	20	1	2	9	•	•
WILLISTO	101084	25	0	12	0	•	•
CARRINGT	50784	•	•	•	0	0	•
CARRINGT	51484	•	•	•	0	0	•
CARRINGT	52184	•	•	•	0	0	•
CARRINGT	52884	•	•	•	0	0	•
CARRINGT	60484	•	•	•	0	0	•
CARRINGT	61184	1	0	0	0	0	0
CARRINGT	61884	0	0	0	0	0	0
CARRINGT	62584	2	0	0	6	0	•
CARRINGT	70284	22	0	0	9	0	•
CARRINGT	71684	4	0	0	10	1	•
CARRINGT	72384	4	8	0	2	0	0
CARRINGT	73084	3	25	0	1	3	0
CARRINGT	80684	7	18	0	0	3	0
CARRINGT	81384	38	62	0	5	0	0
CARRINGT	82784	26	16	1	24	3	0
CARRINGT	92484	218	53	2	36	0	0
MINOT	50784	•	•	•	0	0	•
MINOT	51484	•	•	•	0	0	•
MINOT	52184	•	•	•	0	0	•
MINOT	52984	•	•	•	0	0	•
MINOT	60484	•	•	•	0	0	•
MINOT	61184	0	0	0	2	0	•
MINOT	61884	0	0	0	0	0	0
MINOT	62584	0	0	0	8	0	0
MINOT	70284	1	0	0	7	0	0
MINOT	70984	1	0	0	9	0	1
MINOT	71684	0	2	0	1	0	0
MINOT	72384	0	1	0	2	0	1
MINOT	73084	1	7	0	0	1	0
MINOT	80684	3	7	0	2	0	0
MINOT	81384	11	5	0	0	0	0
MINOT	82784	20	2	0	0	0	0
MINOT	90484	37	5	0	0	0	2
MINOT	91084	9	3	0	0	0	1
MINOT	91784	7	0	0	0	0	0
MINOT	92484	4	0	0	0	0	0
LANGDON	61184	0	0	0	0	0	0

LOCATION	MMDDYY	DS	RB	AC	AW	CB	SM
LANGDON	61884	0	0	0	0	0	0
LANGDON	62584	0	0	0	1	0	0
LANGDON	70284	6	0	0	4	0	0
LANGDON	70984	0	0	0	8	0	0
LANGDON	71684	7	2	0	10	0	0
LANGDON	72384	2	16	0	7	0	0
LANGDON	73084	0	4	2	2	0	1
LANGDON	80684	3	10	2	0	0	0
LANGDON	81384	8	21	1	0	0	0
LANGDON	82084	24	35	1	4	0	0
LANGDON	82784	60	84	2	3	0	0
LANGDON	90384	17	29	0	2	0	0
LANGDON	91084	20	29	0	0	0	0
LANGDON	91784	18	23	0	1	0	0
LANGDON	92484	3	9	0	0	0	0
HETTINGE	50784	•	•	•	0	0	•
HETTINGE	51484	•	•	•	0	0	•
HETTINGE	52184	•	•	•	0	0	•
HETTINGE	52884	•	•	•	0	0	•
HETTINGE	60884	•	•	•	0	0	•
HETTINGE	61184	0	0	0	0	0	0
HETTINGE	61884	2	0	0	13	0	0
HETTINGE	62584	21	0	0	19	0	0
HETTINGE	70284	1	0	0	1	0	0
HETTINGE	70984	4	0	0	8	0	0
HETTINGE	71684	0	1	0	6	0	0
HETTINGE	72384	0	1	0	1	0	0
HETTINGE	73084	0	0	0	3	0	0
HETTINGE	80684	2	4	0	2	0	0
HETTINGE	81384	15	0	0	5	0	0
HETTINGE	82084	19	1	0	3	0	0
HETTINGE	82884	21	1	0	3	0	0
HETTINGE	90484	15	0	0	0	0	0
HETTINGE	91084	4	0	0	0	0	0
HETTINGE	91784	5	0	0	0	0	0
HETTINGE	92484	0	0	0	0	0	0
HETTINGE	101084	1	1	4	0	•	•
COGSWELL	61184	0	0	0	4	3	0
COGSWELL	62584	1	0	0	3	0	0
COGSWELL	70384	0	0	0	1	0	0
COGSWELL	70984	0	0	0	0	13	0
COGSWELL	71684	0	0	0	0	10	2
COGSWELL	72384	0	0	0	0	3	2
COGSWELL	81384	0	0	0	1	0	0
COGSWELL	82084	2	0	0	1	0	0
COGSWELL	82784	3	0	0	1	0	0
COGSWELL	90384	2	0	0	0	0	0
COGSWELL	91084	3	0	0	0	0	0
COGSWELL	91784	7	0	0	0	0	0
COGSWELL	92584	17	0	0	0	0	0

## **SECTION IV**

### **PROJECT 381316K**

The following report of progress in field evaluation of woody plant materials for conservation use was prepared by personnel of the Bismarck Plant Materials Center as part of a larger report.

## FIELD EVALUATION PLANTING: TECHNICAL REPORT – 1983

**Project 38I316K** North Dakota State University, Dickinson Branch Experiment Station  
Dickinson, North Dakota

**Project Title:** Field Evaluation of Woody Plant Materials

**Introduction:** There is a need to evaluate the performance of shrub and tree species/cultivars for windbreaks, wildlife, and recreational plantings under diverse soil and climatic conditions. To meet this need, field evaluation planting sites representative of the major land resource areas were located in the three states served by the center. These sites provide planting locations for assemblies of trees and shrubs to be evaluated under uniform culture and management.

**Objective:** The objective is to assemble and evaluate woody plant materials for conservation use. Superior cultivars will be selected and released for increase by commercial nurseries.

**Cooperators:** The Soil Conservation Service, Plant Materials Center, Bismarck, North Dakota, in cooperation with the North Dakota State University, Dickinson Branch Experiment Station, Dickinson, North Dakota.

**Location:** This project is located one mile west of Dickinson, North Dakota, on the NDSU Dickinson Branch Experiment Station.

Legal description: NE ¼ 5, T139N., R96W., Stark County, North Dakota

**Major Land Resource Area:** The site is located in Major Land Resource Area 054, Rolling Soft Shale Plain. This moderately dissected rolling plain is underlain by calcareous shales and sandstones. Strongly dissected areas of sharp local relief or badland topography border major streams and valleys in some areas. Elevation is 1,800 to 3,100 feet. Sixty percent of the area is rangeland.

**Soils:** The soil type is a Parshall fine sandy loam. The Parshall series consists of deep, well drained soils formed in fine sandy loam alluvium on terraces and outwash plains and in upland swales. The surface layer and subsoil is dark grayish-brown fine sandy loam. The underlying material is dark grayish-brown fine sandy loam and loamy fine sand. Permeability is moderately rapid. The available water capacity is moderate. Organic matter is high and fertility is medium.



This soil is in North Dakota windbreak suitability Group 5. Included in this group are nearly level to hilly soils of the Flaxton, Lihen, Livonia, Parshall and Vebar series among others. These are well-drained, loamy and sandy soils. They are suited to windbreak and other plantings, but selection of species is limited. Erosion hazard is serious. The moderate available water capacity is the main limitation.

**Climate:**

For MLRA 054 the average annual precipitation is 13 to 19 inches; increasing from west to east for this semiarid area. Rainfall is highest from late spring to midsummer and very low during the rest of the year. Winter precipitation is snow. Average annual temperature is 40° to 45°F. Average freeze-free period is 110 to 135 days. The plant hardiness zone is 4a, with an average annual minimum temperature of -30 to -20°F.

## **Methods and Materials**

**Assembly:**

Refer to Table 23 for a list of woody species planted from 1978 through 1983.

**Planting Plan:**

The planting site is approximately 500 feet long and 200 feet wide. The area is divided into four blocks. Each block consists of single row, non-replicated plots. Each plot contains a minimum of 5 plants. Row length is 100 feet and spacing between rows is 20 feet. Block 1 contains conifers spaced 5 feet within row. Block 2 contains shrubs and small trees spaced 5 feet within row. Block 3 contains medium sized trees, spaced 10 feet within row. Block 4 contains tall trees spaced 10 feet within row. All rows run from west to east.

**Plot Preparation:**

A clean, firm planting site is prepared annually by disking and harrowing.

**Planting Method:**

All tree and shrubs were hand planted using approved forestry methods.

**Planting Date:**

Refer to Table 23 for a list of woody species planted from 1978 through 1983.

**Fertilization:**

No fertilizer has been applied to planting area.

**Weed Control:**

No herbicide has been applied to any plot during year of establishment or in succeeding years. Weeds were controlled by clean cultivating between rows, within row, and in fallow areas. Six to seven tillage operations were performed each year in the months of May through August. Hand hoeing was done as needed to control weeds in rows.

**Biological Control:** Previous years: No animal repellent or insecticide was applied in 1978. In the fall of 1979, an animal repellent, Arasan 50, was sprayed on fruit trees to discourage rodent damage.

1980–1981: On November 6, 1980 and October 29, 1981, Arasan 50 was applied to the trunks and lower limbs of fruit trees to deter rodents from damaging bark and cambium. Conifers also received this spray treatment to discourage animal browse. No insecticides were applied.

1982: No animal repellent was applied.

1983: No animal repellent was applied.

**Irrigation:** Each year, newly planted materials were watered with a portable tank. No water was added following year of establishment.

**Crop Residue Management:** No cover crop has been established.

**Silvicultural Practices:** A minimum of pruning was done in 1979 to reshape trees damaged by animals. Dead trees and broken branches were cut and removed each year for sanitation. Replacements were used when available.

**Evaluations and Measurements:** Previous years: Records of planting date, survival, vigor, canopy width, height, cold hardiness, animal damage, and unusual or outstanding features have been maintained since 1978.

1983: Climatic data recorded at Dickinson Branch Experiment Station, Dickinson, North Dakota is shown in Table 22.

Plant performance data was reported on September 7, 1983. Survival, vigor, canopy cover and height, and special remarks were recorded for all hardwoods and remaining conifers.

## Results

**Plant Performance:** Mean data for individual accessions of trees and shrubs is shown in Table 23. The following accessions exhibit potential for further evaluation:

Accession Number	Genus/Species Origin/Source	Plot Location	Remarks
ND-1765 5980T	Siberian larch <u>Larix sibirica</u> USDA, FS, Shelterbelt Lab., Bottineau, ND	1/03/1-10	
ND-313 5996T	Red tatarian honeysuckle <u>Lonicera tatarica sibirica</u> USDA, ARS, Cheyenne, WY USDA, SCS, PMC, Bismarck, ND	2/01/1-10	
ND-1730 5994T	Red tatarian honeysuckle <u>Lonicera tatarica sibirica</u> Lincoln-Oakes Nursery, Bismarck, ND	2/01/11-20	
ND-628 5887T	Silverberry <u>Elaeagnus commutata</u> Wells, CO., ND	2/02/1-10	
'Midwest' 6003T PI-478000	Manchurian crabapple <u>Malus baccata mandshurica</u> Echo Manchuria Res. Sta. Morden, Manitoba, Canada	3/01/1-5	
WY-843 'Bighorn' 4646T PI-483445	Skunkbush sumac <u>Rhus trilobata</u> Basin, WY USDA, SCS, PMC, Bismarck, ND	2/02/11-20 2/04/1-10	

Accession Number	Genus/Species Origin/Source	Plot Location	Remarks
'Red Splendor' 6004T	Flowering crabapple <u>Malus sp.</u> x Lee Nursery, Fertile, MN	3/01/6-10	
ND-14 6095T PI-478004	Harbin pear <u>Pyrus ussuriensis</u> Res. Sta. Morden, MB, Canada SCS, PMC, Bismarck, ND	3/02/6-10	
SD-134 6066T	Apricot <u>Prunus armeniaca</u> Brookings Co., Brookings, SD	3/04/1-5	
ND-416 6067T	Apricot <u>Prunus armeniaca</u> Burleigh Co., Bismarck, ND	3/05/6-10	
ND-1336 6088T	Chokecherry <u>Prunus virginiana</u> Mercer Co., Stanton, ND	3/06/6-10	
ND-1873 5648T	Amur maple <u>Acer ginnala</u> Lincoln-Oakes Nursery, Bismarck, ND	3/09/1-5	
SD-156 5890T	Green ash <u>Fraxinus pennsylvanica</u> Deuel Co., Clear Lake, SD	4/01/1-5	
'Cardan' MDN-12002 5895T PI-469226	Green ash <u>Fraxinus pennsylvanica</u> USDA, ARS, Mandan, ND Carlyle, MT	4/02/1-5	

ND-1759 5893T	Green ash SD-156 x MDN-12002 <u>Fraxinus pennsylvanica</u> USDA, SCS, PMC, Bismarck, ND	4/02/6-10
------------------	--	-----------

ND-364 5867T	Russian olive <u>Elaeagnus angustifolia</u> Burleigh Co., Menoken, ND	4/06/1-5
-----------------	---	----------

The following accessions failed to survive:

ND-3804 30937T	Black locust <u>Robinia pseudoacacia</u> Darby, MT	1/7/1-10
-------------------	--	----------

Project No.: 38I316K

**Table 22: 1983 Weather Summary – Official Station, North Dakota State University  
Dickinson Branch Experiment Station, Dickinson, North Dakota**

<b>Month</b>	<b>Temp. (Mean)</b>	<b>Normal Temp. (Mean)</b>	<b>Deviation From Norm.</b>	<b>Total Precip.</b>	<b>Normal Precip.</b>	<b>Deviation From Norm.</b>
January	23.0	9.3°F	13.7	0.35 in.	0.34 in.	0.01 in.
February	27.1	16.2	10.9	0.05	0.40	-0.35
March	28.4	25.4	3.0	0.95	0.57	0.38
April	37.3	40.5	- 3.2	0.32	1.73	-1.41
May	48.3	53.0	- 4.7	1.15	2.53	-1.38
June	60.1	62.2	- 2.1	3.43	3.69	-0.26
July	70.3	68.6	1.7	2.81	2.08	0.73
August	73.9	67.4	6.5	1.16	1.86	-0.70
September	55.0	55.9	- 0.9	1.06	1.51	-0.45
October	44.3	45.0	- 0.7	0.25	0.85	-0.60
November	30.4	28.3	2.1	0.65	0.45	0.20
December	<u>-2.8</u>	<u>15.6</u>	<u>-12.8</u>	<u>0.41</u>	<u>0.41</u>	<u>0.00</u>
Annual	41.28	40.6	- 0.68	12.59	16.42	-3.83

	<u>Last Killing Frost</u>	<u>First Killing Frost</u>	<u>Frost Free Days</u>
1983	May 15	September 19	126

Total seasonal precipitation (average): 12.59 inches

Total seasonal precipitation (April-August) 1983: 9.93 inches

USDA, SCS, PMC, Bismarck, North Dakota

210 - Project No.: 38I316K

Project Title: Field Evaluation of Woody Plant Materials (FEP)

Location: North Dakota State University, Dickinson Branch Experiment Station, Dickinson, North Dakota

Major Land Resource Area: 054

202 – Soil Series Texture: Parshall fine sandy loam

201 – Year of Record: 1983

---

211-PLOT LOCATION		304-MATL-PLTD	(Establishment, material planted)
23, 1-ACC-NO	(Prime-PMC-control number,	306-AGE	(Age of stock)
02-PLANT-SYMBOL	PI number)	305-NO-PLTS	(Number of plants)
12-COMMON-NAME		310-NO-PLT-SRV	(Number of plants surviving)
04-GENUS-NAME		363-PCT-SRV	(Percent survival)
05-SPECIES-NAME		337-VI	(Vigor, plant)
29, 30-COLL-SITE-STATE, COUNTY	(Origin/source)	347-CO	(Resistance to cold)
209-TRANS-DATE	(Transplant date)	358-BSL-ARA	(Basal area, cm)
201-YR-REC	(Year of record)	359-CAN-COV	(Canopy cover, cm)
212-YR-PLT	(Year planted)	360-PLT-HT	(Plant height, cm)
		-AD	(Animal damage)
		364-REMARKS	

---

Table 23. 38I316K Field Evaluation of Woody Plant Materials – Dickinson, ND - 1983

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
1/01/1-10	ND-1729 5979T	LASI*	Siberian larch <u>Larix sibirica</u> NDFS State Nursery Towner, ND	05/16	78	78	PLBR	1-0	10	9	90	3	---	21	62	Repl-plt #9
						79				10	100	---	22	44		
						80				10	100	4	1	33	55	
						82				8	80	8	---	29	46	
						83				6	60	7	3	33	74	
1/02/1-10	SL-383-T Pallet No. 2392 5976T	LASI*	Siberian larch <u>Larix sibirica</u> USDA, FS, Shelterbelt Lab., Bottineau, ND Denbigh Ex. Forest	05/16	78	78	PLBR	1-0	10	10	100	3	---	17	68	#1 mowed off, mod. rodent dam.
						79				10	100	---	24	49		
						80				10	100	4	1	43	62	
						82				9	90	6	---	47	69	
						83				9	90	6	3	61	119	
1/03/1-10	ND-1765 5980T	LASI*	Siberian larch <u>Larix sibirica</u> USDA, FS, Shelterbelt Lab., Bottineau, ND	05/17	78	78	PLBR	2-0	10	10	100	3	---	17	44	Mod. rodent dam., Best accession of larch
						79				10	100	---	33	48		
						80				10	100	4	1	55	81	
						82				10	100	5	---	63	122	
						83				10	100	5	2	79	148	
1/04/1-5	ND-1763 6043T	PIPO*	Ponderosa pine <u>Pinus ponderosa</u> USDA, FS, Shelterbelt Lab., Bottineau, ND 757-5 Todd Co., SD	05/16	78	78	CONT	1-1	5	5	100	1	---	14	53	Repl-plt #3  Animal damage
						79				4	80	---	14	34		
						80				5	100	4	5	46	61	
						82				4	80	7	---	74	134	
						83				4	80	5	3	88	111	



211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
1/04/6-10	ND-1565 6036T	PIAR	Bristle cone pine <u>Pinus aristata</u> USDA, FS, Shelterbelt Lab., Bottineau, ND	05/16	78	78 79 80 82 83	CONT	1-1	5	5 5 5 1 4	100 100 100 20 80	3 --- 5 5 8	--- --- 3 --- 4	14 20 32 65 29	17 19 23 90 24	Mower damage on plt #3
1/05/1-5	Mich-1468 5059T	THOC	Northern white cedar <u>Thuja occidentalis</u> USDA, SCS, PMC, East Lansing, MI	06/01	83	83	PLBR		5							
1/05/6-10	Mich-1841 5969T		Northern white cedar <u>Thuja occidentalis</u> USDA, SCS, PMC, East Lansing, MI	06/01	83	83	PLBR		5							
1/06/1-10	ND-1863 5909T	GLTR	Honeylocust <u>Gleditsia triacanthos</u> Brown Co., SD USDA, SCS, PMC, Bismarck, ND	05/12	82	82 83	PLBR	2-0	10	9 9	90 90	5 4	--- 4	33 64	46 91	Slight-moderate Winter injury
1/07/1-10	ND-3804 30937T	ROPS	Black locust <u>Robinia pseudoacacia</u> Darby, MT ND Forest Service State Nursery, Towner, ND	05/12	82	82 83	CONT	1-0	10	7 0	70 ---	5 ---	--- ---	53 ---	76 ---	Winterkill
1/08/1-5	ND-3825 34904T	ACSA2	Silver maple <u>Acer saccharinum</u> Bismarck, ND	06/01	83	83	PLBR		5							

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
1/08/6-10	ND-3886 3519T	ACSA2	Silver maple <u>Acer saccharinum</u> Bismarck, ND	06/01	83	83	CONT		5							
2/01/1-10	ND-313 5996T	LOTAS*	Red tatarian honeysuckle <u>Lonicera tatarica</u> <u>sibirica</u> USDA, ARS, Cheyenne, WY USDA, SCS, PMC, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	10	9 9 10 10 10	90 90 100 100 100	1 --- 3 4 3	--- --- --- --- 3	47 62 98 162 181	48 72 73 136 166	Replt-plt #9  Good fruit mod-sev insect defoliation
2/01/11-20	ND-1730 5994T	LOTAS*	Red tatarian honeysuckle <u>Lonicera tatarica</u> <u>sibirica</u> Lincoln-Oakes Nursery, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	10	10 10 10 10 10	100 100 100 100 100	1 --- 1 4 3	--- --- --- --- 3	48 66 104 181 204	51 84 90 160 197	Good vigor slight insect def. good fruit prod.
2/02/1-10	ND-628 5877T	ELCO*	Silverberry <u>Elaeagnus commutata</u> Wells Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	10	10 10 10 10 10	100 100 100 100 100	1 --- 1 5 5	--- --- 1 --- 2	29 83 124 151 192	52 94 97 145 170	Suckering
2/02/11-20	WY-843 'Bighorn' 4646T	RHTR	Skunkbush sumac <u>Rhus trilobata</u> USDA, SCS, PMC, Bismarck, ND Bighorn Co., WY	05/17	78	78 79 80 82 83	PLBR	2-0	10	7 10 10 10 10	70 100 100 100 100	2 --- 3 3 3	--- --- --- --- 3	52 107 152 232 272	43 78 82 153 193	Replt-plts #16, 17, 18  Leaf spot

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
2/03/1-10	ND-26 11852T	LONIC	Honeysuckle <u>Lonicera</u> sp. USDA, ARS Mandan, ND	05/2	79	79 80 81 83	PLBR	2-0	10	10 10 10 10	100 100 100 100	--- 5 --- 4	--- --- --- 3	35 60 79 136	42 51 87 145	Leaf spot witches broom on plts #3, 5, 8 mod. ins. defol. Grasshoppers
2/03/11-15	ND-452 19978T	LOXYM*	Honeysuckle <u>Lonicera xylosteum</u> <u>mollis</u> USDA, ARS, Cheyenne, WY USDA, SCS, PMC, Bismarck, ND	05/2	79	79 80 81 83	PLBR	2-0	5	5 5 5 5	100 100 100 100	--- 3 --- 4	--- --- --- 3	37 71 99 169	39 47 88 168	Witches broom (1, 2, 3) Slight leaf spot Leaf blight
2/04/1-10	WY-843 'Bighorn' 4646T	RHTR	Skunkbush sumac <u>Rhus trilobata</u> USDA, SCS, PMC, Bismarck, ND Bighorn Co., WY	05/2	79	79 80 81 83	PLBR	2-0	10	10 10 10 10	100 100 100 100	--- 5 --- 3	--- --- --- 3	30 73 78 181	34 43 64 137	Few pests
2/04/11-20	PM-ND-283 6079T	PRTE*	Russian almond <u>Prunus tenella</u> ND Fish & Game Dept. USDA, SCS, PMC, Bismarck, ND	05/08	80	80 81 82 83	PLBR	2-0	10	10 7 10 8	100 70 100 80	5 --- 4 4	--- --- --- 2	23 28 54 119	68 44 69 108	Replt-plt #11, 15, 20 Few pests

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
2/05/1-10	ND-11 5993T	LOMA6	Amur honeysuckle <u>Lonicera maackii</u> Res. Sta. Morden, MB, Canada	05/07	81	81 82 83	CONT	0-1	10	10 10 6	100 100 60	--- 4 6	--- --- 3	20 42 50	19 44 54	Slight insect defol. (grasshoppers)
2/05/11-20	ND-3891 35201T	HIRH*	Sea buckthorn <u>Hippophae rhamnoides</u> Lawyer Nursery, Plains, MT	06/01	83	83	PLBR		5							
2/06/1-5	ND-995 PI-303584	SAHU	Prairie willow <u>Salix humilis</u> USDA, PI Sta., Ames, IA	05/12	82	82 83	PLBR - CONT	1-2	5	4 4	80 80	4 4	--- 3	58 155	66 125	Mod. grasshopper damage.
2/06/6-10	PI-370126	SALIX	Willow <u>Salix sp.</u> USDA, PI Sta, Ames, IA	05/12	82	82 83	PLBR - CONT	0-1	5	5 4	100 80	4 3	--- 3	33 106	48 133	Good growth, Few pests
2/07/1-10	ND-624 6094T	PTTR	Common hoptree <u>Ptelea trifoliata</u> Ramsey Co., ND USDA, SCS, PMC, Bismarck, ND	05/12	82	82 83	PLBR	2-0	10	9 9	90 90	5 3	--- 4	24 37	33 64	Good growth
2/08/1-5	'Indigo' Mich-765 PI-468117	COAM2	Silky dogwood <u>Cornus amomum</u> USDA, SCS, PMC, East Lansing, MI	06/01	83	83	PLBR		5							

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
2/08/6-10	'Roselow' Mich-1339 5026T	MASA*	Sargent crabapple <u>Malus sargentii</u> USDA, SCS, PMC, East Lansing, MI	06/01	83	83	PLBR		5							
3/01/1-5	'Midwest' 6003T	MABAM*	Manchurian crabapple <u>Malus baccata</u> <u>mandshurica</u> Echo Manchuria/Res. Sta. Morden, MB, Canada USDA, SCS, PMC, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	3 5 5 5 5	60 100 100 100 100	2 --- --- 3 2	--- --- --- --- 2	16 27 58 144 183	60 64 85 169 211	Replt-plts #2, 5  Fall webworm plt #1, few pests, Good vigor
3/01/6-10	'Red Splendor' 6004T	MABA*	Flowering crabapple <u>Malus sp. x</u> Lee Nursery, Fertile, MN	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- --- 2 3	--- --- --- --- 3	48 76 108 181 214	66 117 143 256 278	Good growth, good fruit prod. Few pests
3/02/1-5	ND-1731 6001T	MABA*	Siberian crabapple <u>Malus baccata</u> Lincoln-Oakes Nursery, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	4 5 5 5 5	80 100 100 100 100	2 --- --- 3 2	--- --- --- --- 3	58 84 125 178 228	68 95 125 249 321	Replt-plt #3  Good growth & vigor, few pests

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
3/02/6-10	ND-14 1095T	PYUS*	Harbin pear <u>Pyrus ussuriensis</u> Harbin, Manchuria/Res. Sta. Morden, MB, Canada USDA, SCS, PMC, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	6 --- --- 1 3 1	--- --- --- --- 2	27 56 91 195 243	76 111 139 272 335	Good growth & vigor
3/03/1-5	SD-132 6064T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND Brookings Co., SD	05/17	78	78 79 80 82 83	PLBR	2-0	5	2 5 5 5 5	40 100 100 100 100	1 --- --- 3 5 3	--- --- --- --- 2	57 98 165 159 256	111 135 147 183 313	Replt-plts #2, 3, 4  Good recovery from rodent injury, multi-stemmed
3/03/6-10	SD-133 6065T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND Brookings Co., SD	05/17	78	78 79 80 82 83	PLBR	2-0	5	1 3 3 3 3	20 60 60 60 60	5 --- --- 4 6 5	--- --- --- --- 2	66 78 163 185 280	79 67 152 185 275	Replt-plts #6, 7, 8, 10  Good recovery multi-stemmed
3/04/1-5	SD-134 6066T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND Brookings Co., SD	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 4	100 100 100 100 80	2 --- --- 1 7 5	--- --- --- --- 3	67 158 230 124 235	104 204 258 146 239	Resprouts- multi-stemmed

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
3/04/6-10	'Mantoy' 6069T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND USDA, ARS, Mandan, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	3 5 5 5 5	60 100 100 100 100	2 --- 4 6 4	--- --- --- --- 3	57 151 195 195 283	68 150 185 212 267	Replt-plts #6, 10  Resprouts-multi- stemmed, good recovery except plts #3, 4
3/05/1-5	ND-1178 6070T	PRAR*	Apricot <u>Prunus armeniaca</u> Walsh Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	4 5 5 4 4	80 100 100 80 80	2 --- 3 7 5	--- --- --- --- 3	55 165 198 168 278	99 165 207 161 249	Replt-plt #2  Multi-stemmed
3/05/6-10	ND-416 6067T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND Burleigh Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 3	100 100 100 100 60	1 --- 1 7 5	--- --- --- --- 3	62 149 232 142 257	103 192 225 137 273	Rodent damage Multi-stemmed
3/06/1-5	ND-423 6068T	PRAR*	Apricot <u>Prunus armeniaca</u> USDA, SCS, PMC, Bismarck, ND Stark Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	3 5 5 5 5	60 100 100 100 100	5 --- 5 7 6	--- --- --- --- ---	25 69 132 155 163	58 116 163 190 240	Replt-plts #4, 5  Plts #2-4 are Multi-stemmed (are all resprouts) Wind dam. on plt #1.
3/06/6-10	ND-1336 6088T	PRVI	Chokecherry <u>Prunus virginiana</u> Mercer Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- 2 3 2	--- --- --- --- 2	28 98 181 259 327	74 154 196 313 349	Slight powdery mildew, good vigor.

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
3/07/1-5	ND-1732 6090T	PRVI	Chokecherry <u>Prunus virginiana</u> Lincoln-Oakes Nursery Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- --- 3 4 4	--- --- --- --- 2	18 77 112 247 317	67 141 169 293 331	Fall webworm Slight aphid dam. shothole, leaf blight
3/07/6-10	'Schubert' 12608T	PRVI	Chokecherry <u>Prunus virginiana</u> USDA, ARS, Mandan, ND USDA, SCS, PMC, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	3 5	2 2 2 5 5	66 66 66 100 100	5 --- --- 6 5	--- --- --- --- 2	22 20 53 116 145	39 30 75 169 198	Replt-plts #8, 9 Replt-plts #8, 9, 10 Slight fall webworm, elm cont. on plt #4
3/08/6-10	ND-629 5645T	ACGI	Amur maple <u>Acer ginnala</u> Res. Sta. Morden, MB, Canada	05/2	79	79 80 81 83	PLBR	2-0	5	5 0 4 4	100 --- 80 80	--- --- --- 3	--- --- --- 1	31 --- 39 184	47 --- 58 183	
3/09/1-5	ND-1873 5648T	ACGI	Amur maple <u>Acer ginnala</u> Lincoln-Oakes Nursery, Bismarck, ND	05/2	79	79 80 81 83	PLBR	2-0	5	5 5 5 5	100 100 100 100	--- 3 --- 2	--- --- --- 1	49 86 128 220	66 91 132 227	Good seed prod.
3/09/6-10	ND-686 6225T	SYAMJ*	Japanese tree lilac <u>Syringa amurensis</u> <u>japonica</u> ND Game & Fish Dept.	05/2	79	79 80 81 83	PLBR	2-0	5	5 2 2 3	100 40 40 60	--- 7 --- 5	--- --- --- 3	22 45 47 102	71 81 85 117	Replt-plt #4



211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
3/10/1-5	ND-3773 21576T	SALIX	Willow <u>Salix sp.</u> Norman Co., MN USDA, SCS, PMC, Bismarck, ND	05/12	82	82 83	PLBR	0-1	5	3 2	60 40	7 8	--- 3	11 13	22 33	
3/10/6-10	Mich-433 5049T	SAPE	Laurel willow <u>Salix pentandra</u> USDA, SCS, Rose Lake PMC, East Lansing, MI	05/12	82	82 83	PLBR	0-1	5	5 5	100 100	5 5	--- 3	13 32	38 62	
4/01/1-5	SD-156 5890T	FRPE	Green ash <u>Fraxinus</u> <u>pennsylvanica</u> Deuel Co., SD	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- 2 3 3	--- --- --- --- 2	16 39 68 171 221	79 111 134 232 296	Slight leaf scorch
4/01/6-10	ND-1734 5891T	FRPE	Green ash <u>Fraxinus</u> <u>pennsylvanica</u> Lincoln-Oakes Nursery, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- 4 4 4	--- --- --- --- 2	11 31 57 143 173	63 95 113 222 268	Competition from shelterbelt at N-end.
4/02/1-5	'Cardan' MDN-12002 5895T (F-1)	FRPE	Green ash <u>Fraxinus</u> <u>pennsylvanica</u> USDA, ARS, Mandan, ND Wibaux Co., MT	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- 3 3 2	--- --- --- --- 2	9 52 91 228 255	71 105 154 308 348	Good vigor

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
4/02/6-10	ND-1759 5893T	FRPE	Green ash <u>Fraxinus</u> <u>pennsylvanica</u> SD-156 x MDN- 12002 USDA, SCS, PMC, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- 3 4 3	--- --- --- --- 2	12 48 93 176 242	77 124 158 246 326	Competition from shelterbelt at N-end.
4/03/1-5	ND-647 5887T	FRNI	Black ash <u>Fraxinus nigra</u> Res. Sta. Morden, MB, Canada	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- 6 4 4	--- --- --- --- 3	4 13 37 126 147	28 58 83 243 319	Heat stress leaf scorch
4/03/6-10	ND-1432 5658T	AEGL	Ohio buckeye <u>Aesculus glabra</u> Res. Sta. Morden, MB, Canada	05/17	78	78 79 80 82 83	PLBR	2-0	5	3 3 3 1 1	60 60 60 20 20	8 --- 9 6 6	--- --- --- --- 4	1 4 14 45 50	7 14 12 65 70	Repl-plt #7
4/04/1-5	ND-1879 11850T	GLSI	Chinese honeylocust <u>Gleditsia sinensis</u> Woodward, OK USDA, ARS, Mandan, ND	05/08	80	80 81 82 83	PLBR -- CONT	2-1	5	1 2 5 5	20 40 100 100	9 --- 4 --- 2	--- --- --- --- 2	10 4 43 75	15 25 68 118	Repl-plts #1, 3, 5 Good vigor
4/04/6-10	ND-548 5969T	JUMA*	Manchurian walnut <u>Juglans mandshurica</u> Res. Sta. Morden, MB, Canada	05/17	78	78 79 80 82 83	PLBR	2-0	5	4 3 3 3 3	80 60 60 60 60	3 --- 8 6 7	--- --- --- --- 6	4 24 43 168 202	19 40 46 110 133	Leaf scorch Low vigor girdling

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
4/05/1-5	ND-1170 6009T	MOAL	Mulberry <u>Morus alba</u> Burleigh Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- --- 7 3 3	--- --- --- --- 5	89 178 241 420 482	119 182 236 325 404	Mod. frost injury
4/05/6-10	ND-363 5866T	ELAN	Russian olive <u>Elaeagnus</u> <u>angustifolia</u> Burleigh Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- --- 3 4 4	--- --- --- --- 2	70 150 179 240 332	68 147 158 296 343	Shelterbelt comp. on S-end
4/06/1-5	ND-364 5867T	ELAN	Russian olive <u>Elaeagnus</u> <u>angustifolia</u> Burleigh Co., ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- --- 1 2 2	--- --- --- --- 2	89 211 291 375 477	88 180 255 400 477	Good vigor
4/06/6-10	ND-1735 5874T	ELAN	Russian olive <u>Elaeagnus</u> <u>angustifolia</u> Lincoln-Oakes Nursery, Bismarck, ND	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	2 --- --- 4 4 3	--- --- --- --- 2	79 172 226 335 386	80 172 217 441 396	Shelterbelt compet. On S-end
4/07/1-5	ND-541 5868T	ELAN	Russian olive <u>Elaeagnus</u> <u>angustifolia</u> Haakon Co., SD	05/17	78	78 79 80 82 83	PLBR	2-0	5	5 5 5 5 5	100 100 100 100 100	1 --- --- 4 3 3	--- --- --- --- 2	88 185 251 390 479	80 166 236 360 476	Good vigor and growth
04/07/6-10	PM-ND- 1843 11840T	ELAN	Russian olive <u>Elaeagnus</u> <u>angustifolia</u> Res. Sta. Morden, MB, Canada	05/08	80	80 81 82 83	PLBR	2-0	5	5 5 5 5	100 100 100 100	5 --- --- 4 4	--- --- --- --- 2	45 45 144 230	47 68 153 214	Shelterbelt comp. on S-end

211 Plot Location	23 Accession Number	02 Plant Symbol	04 05 Genus/Species Origin/Source	209 Trans Date	212 Yr Plt	201 Yr Rec	304 Matl Pltd	306 Age	305 No Plts	310 No Plt Srv	363 Pct Srv	337 V I	347 C O	359 Can Cov	360 Plt Ht	364 Remarks
4/09/1-10	'Oahe' MDN-12003 T05725	CEOC	Hackberry <u>Celtis occidentalis</u> USDA, ARS, Mandan, ND	05/08	80	80 81 82 83	PLBR	2-0	10	10 9 8 8	100 90 80 80	--- --- 6 6	--- --- --- ---	15 2 40 57	61 14 48 92	
4/10/1-10	PM-SD-75 5713T	CEOC	Hackberry <u>Celtis occidentalis</u> Potter Co., SD	05/07	81	81 82 83	PLBR	2-0	10	10 7 6	100 70 60	--- 6 3	--- --- 2	2 28 87	37 44 92	
4/11/1-5	ND-3890 35200T	ELAN	Russian olive <u>Elaeagnus angustifolia</u> Lawyer Nursery, Plains, MT	06/01	83	83	PLBR		5							