

Table 5. Protein Content – 1986**1986 Dickinson Off-Station Hard Red Spring Wheat Trials**

Variety	Dickinson	Beulah	Manning	Average 3-Sites	Average 8-Sites
Protein Percent @ 14% Moisture					
Alex	16.0	13.9	13.5	14.5	15.0
Apex 83 *	15.0	13.2	13.6	13.9	13.9
Butte	15.0	14.1	13.4	14.2	14.0
Butte 86	15.0	14.4	12.8	14.1	14.6
Coteau	15.8	14.8	13.8	14.8	15.4
Cutless *	15.9	14.8	15.7	15.5	15.5
Guard *	14.9	13.6	12.5	13.7	14.4
Leif *	15.5	14.6	14.8	15.0	14.8
Len *	15.5	14.8	13.9	14.7	15.2
Leo 747 *	15.6	14.0	14.1	14.6	14.6
Marshall *	14.3	12.5	13.2	13.3	13.9
Norak *	15.1	13.8	14.2	14.4	14.2
Norseman *	15.3	13.4	13.6	14.1	14.6
Stoa	15.5	14.0	14.2	14.6	14.6
Success *	14.3	13.3	12.9	13.5	14.0
Wheaton *	14.5	13.0	13.4	13.6	13.8

1986 Hettinger Off-Station Hard Red Spring Wheat Trials

Variety	Hettinger	Regent	Flasher	Thunderhawk	Scranton	Average 5-Sites
Protein Percent @ 14% Moisture						
Alex	16.6	15.5	15.1	15.6	13.6	15.3
Apex 83*	14.6	14.2	13.7	14.1	12.7	13.9
Butte	15.2	14.0	13.7	13.8	12.4	13.8
Butte 86	16.0	14.7	14.6	14.9	14.2	14.9
Coteau	17.3	15.0	16.0	15.7	14.7	15.7
Cutless*	16.8	15.0	15.3	15.6	14.8	15.5
Guard*	15.6	15.0	14.1	15.6	13.7	14.8
Lief*	15.4	14.3	15.1	15.7	13.2	14.7
Len*	16.8	15.1	15.7	16.2	13.6	15.5
Leo 747*	15.3	15.0	14.1	14.5	13.8	14.5
Marshall*	15.9	14.1	13.8	13.9	13.2	14.2
Norak*	15.1	14.2	14.1	14.3	13.0	14.1
Norseman*	15.7	14.8	14.6	15.3	14.3	14.9
Stoa	16.1	14.4	15.1	14.6	13.2	14.7
Success*	15.6	13.7	14.1	14.4	14.0	14.4
Wheaton*	15.1	13.7	13.7	14.1	12.8	13.9
Pioneer 2369	15.8	13.9	14.4	14.6	13.2	14.4