

Table 6. 1990 Dickinson Hard Red Spring Wheat Yield Trial.

Variety	Bu/A	Test Wt lbs.
Amidon	30.7	60.0
Bergen*	31.4	60.0
Butte 86	29.4	60.5
Columbus	27.2	58.5
Cutless*	26.3	60.0
Fjeld*	35.9	58.0
Golden 86*	31.0	62.0
Grandin*	34.3	58.5
Gus*	32.4	60.0
Laura	30.2	60.0
Len*	30.4	59.5
Marshall*	31.4	59.0
Minnpro*	30.6	57.5
N 86-3070*	36.7	59.5
Nordic*	33.7	61.0
2369*	35.4	61.0
2370*	38.2	62.0
2375*	32.7	60.0

2385*	30.7	61.0
Spillman*	32.0	56.5
Stoa	35.5	59.0
Vance*	32.8	58.0
BW 114	28.2	59.5
MN 85324*	32.3	60.0
MT 8402*	36.6	59.5
ND 655*	38.1	63.0
ND 656	28.8	61.0
ND 657*	33.4	61.0
ND 659*	35.8	59.5
ND 660	32.6	59.0
ND 661	31.9	60.5
ND 662*	37.4	59.5
ND 663	36.5	64.0
ND 664*	38.4	60.5
ND 665*	34.7	59.0
ND 666*	35.2	59.5
SD 2980	36.4	62.0
W 2501*	36.4	56.5
W 2502*	34.7	57.5

XW 371*	41.1	59.5
---------	------	------

*Semidwarf

Seeding Rate: 1,000,000 live seeds/A (approx. 1 bu/A); Seeding Date: April 23; Harvest Date: August 3; Fertilizer Applied: 50 lbs/A 18-46-0 drill application; Herbicide Applied: Hoelon/Buctril tank mix; L.S.D. 5% = 6.74 Bu/A; C.V. = 13%