

**2017 Hard Red Spring Wheat - Recrop**

**Dickinson, ND**

Variety	Days to Head	Seeds per Pound	Plant Height in	Test Weight lbs/bu	Protein %	----- Grain Yield-----			Average Yield	
						2015	2016	2017	2	3
						-----bu/ac-----			----bu/ac----	
AKF-Astro	58	13,053	24	60.0	14.8	--	--	37.6	--	--
Barlow	55	15,893	23	61.5	17.3	69.1	48.5	38.1	43.3	51.9
Bolles	58	16,114	23	57.8	18.3	68.9	47.5	34.4	40.9	50.2
Boost	60	15,394	24	59.0	17.4	66.7	52.3	34.7	43.5	51.2
Dyna-Gro Ambush	55	15,435	22	60.3	17.1	--	--	34.1	--	--
Dyna-Gro Caliber	58	15,124	17	60.9	16.8	--	--	31.6	--	--
Elgin-ND	56	16,678	23	58.6	17.0	71.4	48.5	36.2	42.3	52.0
Faller	59	16,911	22	58.1	16.4	68.1	47.1	34.5	40.8	49.9
Glenn	54	15,865	24	61.9	17.0	67.8	51.2	34.9	43.0	51.3
HRS 3100	57	15,515	21	58.9	17.1	--	--	34.3	--	--
HRS 3419	63	20,115	22	56.9	17.8	76.6	60.5	30.7	45.6	55.9
HRS 3504	59	15,422	19	59.9	16.5	--	65.0	34.8	49.9	--
HRS 3530	59	18,020	25	56.9	17.7	72.2	59.1	33.1	46.1	54.8
HRS 3616	57	14,804	22	58.5	17.3	--	48.9	32.7	40.8	--
LCS Anchor	55	16,581	20	60.8	16.8	--	51.7	34.3	43.0	--
LCS Breakaway	56	15,646	19	61.6	17.2	77.6	51.2	32.7	41.9	53.8
LCS Nitro	61	17,686	20	57.4	16.3	85.2	57.0	32.8	44.9	58.3
LCS Prime	55	15,045	23	61.4	15.1	--	60.5	36.2	48.3	--
LCS Rebel	56	15,481	24	60.5	17.6	--	--	33.3	--	--
LCS Trigger	63	19,390	22	56.3	16.4	--	--	34.0	--	--
Lang-MN	59	19,248	22	59.4	17.6	--	--	35.7	--	--
Linkert	56	15,745	20	60.4	18.0	71.2	52.9	32.8	42.9	52.3
MS Camaro	57	17,450	20	60.3	17.3	--	--	33.5	--	--
MS Chevelle	56	16,489	20	59.9	16.3	75.9	57.7	35.3	46.5	56.3
Mott	58	18,638	22	58.0	17.2	64.1	45.1	29.8	37.5	46.3
ND-VitPro	55	15,518	22	61.6	17.5	72.7	49.8	28.8	39.3	50.5
Prevail	54	15,571	20	59.1	16.2	53.4	57.5	38.4	48.0	49.8
Prosper	59	16,469	22	58.3	15.9	71.1	55.0	33.6	44.3	53.2
Rolag	56	16,279	21	60.1	17.4	75.4	52.6	37.1	44.8	55.0
Sy Ingmar	58	17,966	21	58.3	17.3	75.7	56.7	37.0	46.8	56.5
SY Rockford	59	15,454	22	57.9	16.9	--	--	38.6	--	--
Sy Rowyn	57	19,720	19	58.4	17.4	72.4	58.6	29.1	43.8	53.4
Sy Soren	57	16,653	20	60.5	17.5	70.6	50.1	32.4	41.2	51.0
Sy Valda	57	16,993	20	59.6	16.8	78.3	63.5	38.7	51.1	60.2
Shelly	60	16,597	20	59.9	16.5	--	48.7	39.3	44.0	--
Surpass	54	17,697	22	60.8	16.0	78.0	56.2	35.6	45.9	56.6
TCG-Climax	63	20,034	20	60.1	18.2	--	--	33.9	--	--
TCG Cornenstone	57	13,649	20	60.4	17.0	--	52.0	36.5	44.3	--
TCG Spitfire	60	17,149	21	58.0	17.5	--	59.7	35.0	47.4	--
WB-Mayville	57	14,815	19	60.8	16.5	73.5	53.7	37.6	45.6	54.9

WB9479	56	14,874	18	60.6	17.4	--	--	28.4	--	--
WB9590	54	14,448	18	60.3	17.4	--	--	34.3	--	--
WB9653	58	15,854	20	59.5	17.1	69.5	61.8	37.3	49.5	56.2
WB9719	58	16,305	20	62.3	16.4	--	--	38.7	--	--
Trial Mean	57	16,447	21	59.8	17.1	71.3	52.7	34.4	--	--
CV %	1.7	6.3	5.6	1.4	2.1	5.9	10.4	11.2	--	--
LSD 0.05	1	2,094	2	1.1	0.7	5.9	7.6	5.4	--	--
LSD 0.10	1	1,747	1	1.0	0.6	4.9	6.4	4.5	--	--

Planting Date: April 26, 2017

Harvest Date: August 4, 2017

Previous Crop: Cover Crop

Seeding Rate: 1.2 million live seeds/ac

**2017 Glen Ullin Spring Wheat - Recrop**

**Dickinson, ND**

Variety	Seeds per Pound	Test Weight lbs/bu	Protein %	----- Grain Yield-----			Average Yield	
				2015	2016	2017	2	3
				-----bu/ac-----			----bu/ac----	
Barlow	14,591	60.3	12.2	68.6	33.6	33.9	33.7	45.3
Boost	13,571	59.8	12.7	--	--	42.3	--	--
Elgin-ND	14,724	59.3	11.9	71.8	31.6	32.5	32.0	45.3
HRS3419	16,296	58.0	12.5	--	45.0	37.1	41.0	--
HRS3616	12,998	59.5	13.0	--	--	34.3	--	--
LCS Anchor	14,808	60.0	12.9	--	--	32.8	--	--
Mott	15,594	59.0	12.2	79.5	34.0	35.4	34.7	49.6
ND-Vitpro	13,829	61.5	13.0	--	--	35.3	--	--
Sy Rockford	12,880	58.5	13.0	--	--	43.0	--	--
Sy Soren	16,068	59.3	12.7	69.0	30.1	37.5	33.8	45.5
Sy Valda	13,481	60.3	11.4	--	35.3	39.8	37.6	--
WB9653	13,323	59.0	11.0	--	40.3	43.2	41.8	--
Trial Mean	14,347	59.5	12.4	68.8	36.2	37.2	--	--
CV %	3.2	0.5	4.9	9.1	7.2	16.4	--	--
LSD 0.05	1,009	0.7	1.3	9.1	3.8	NS	--	--
LSD 0.10	824	0.6	1.1	7.5	3.1	NS	--	--

Planting Date: May 4, 2017

Harvest Date: August 21, 2017

Previous Crop: wheat

Seeding Rate: 1.2 million live seeds/ac

**2017 Barley - Recrop**

**Dickinson, ND**

Variety	Days to Head	Seeds per Pound	Plant Height in	Test Weight lbs/bu	Protein %	Plump % >6/64	----- Grain Yield-----			----- Average Yield-----	
							2015	2016	2017	2015	2016
							-----bu/ac-----			----bu/ac----	
<b>Six Row</b>											
Celebration	62	14,775	20	46.3	17.7	50	102.3	74.3	49.2	61.7	75.3
Innovation	58	12,603	18	49.8	17.5	74	97.9	77.8	50.0	63.9	75.3
Lacey	57	13,714	19	48.3	16.8	53	110.3	75.2	45.6	60.4	77.0
Quest	60	13,653	20	48.3	17.1	50	91.7	74.5	47.3	60.9	71.2
Stellar-ND	60	13,520	17	46.5	15.7	52	107.9	75.2	46.7	60.9	76.6
Tradition	60	13,283	20	50.0	16.9	59	81.3	69.5	45.6	57.6	65.5
<b>Two Row</b>											
AAC Synergy	64	13,037	18	47.5	16.1	56	--	90.3	47.4	68.8	--
ABI Balster	66	13,023	17	46.3	15.8	46	--	92.4	47.8	70.1	--
ABI Growler	66	15,536	16	44.5	17.9	45	--	86.9	46.3	66.6	--
ND Genesis	63	12,211	19	48.8	14.6	71	124.5	88.7	49.3	69.0	87.5
CDC Meredith	65	14,355	17	44.5	16.7	45	126.2	94.9	44.2	69.5	88.4
Conlon	57	11,837	17	50.5	15.5	86	103.4	54.2	45.8	50.0	67.8
Explorer	63	11,758	16	49.5	15.4	62	--	--	54.1	--	--
LCS Genie	67	12,328	16	48.5	15.9	53	--	97.1	46.2	71.6	--
LCS Odyssey	65	12,694	18	46.8	16.4	69	--	92.7	52.7	72.7	--
Pinnacle	61	11,774	18	50.0	15.5	81	126.2	80.3	45.7	63.0	84.1
Sirish	65	13,761	17	48.3	16.9	46	--	91.4	45.3	68.3	--
Trial Mean	61	12,825	18	48.3	16.0	63	110.4	81.3	48.8	--	--
CV %	2.2	5.5	6.2	1.5	2.9	10.0	9.9	9.2	9.7	--	--
LSD 0.05	2	1,444	2	1.5	0.9	13	15.5	10.6	6.7	--	--
LSD 0.10	2	1,197	1	1.3	0.8	11	12.9	8.8	5.6	--	--

Planting Date: April 26, 2017

Harvest Date: July 27, 2017

Previous Crop: Cover Crop

Seeding Rate: 1.2 million live seeds/ac

Grain protein percentages reported on a 0% moisture basis

**2017 Glen Ullin Barley - Recrop**

**Dickinson, ND**

Variety	Seeds per Pound	Test Weight lbs/bu	% Plump >6/64	Protein %	-----Grain Yield-----			Average Yield	
					2015	2016	2017	2	3
					-----bu/ac-----			----bu/ac----	
<b>Six Row</b>									
Innovation	10,908	47.5	95	12.6	86.4	60.7	63.3	62.0	70.1
Quest	11,969	45.0	84	13.0	91.8	59.1	66.8	62.9	72.5
Tradition	11,370	47.8	93	13.1	--	--	65.6	--	--
<b>Two Row</b>									
ND Genesis	8,948	45.5	97	12.2	93.0	72.5	65.8	69.1	77.1
Pinnacle	8,800	47.3	95	12.0	94.0	60.8	58.5	59.7	71.1
Sirish	9,610	48.5	97	12.7	--	--	67.3	--	--
Trial Mean	10,268	46.9	93	12.6	90.1	61.2	64.6	--	--
CV %	3.5	1.2	1.2	5.0	6.9	6.3	11.3	--	--
LSD 0.05	913	1.4	3	NS	9.4	5.8	NS	--	--
LSD 0.10	715	1.1	2	NS	7.7	4.7	NS	--	--

Planting Date: May 4, 2017

Harvest Date: August 10, 2017

Previous Crop: Soybean

Seeding Rate: 1.2 million live seeds/ac

Grain protein percentages reported on a 0% moisture basis

**2017 Durum - Recrop**

**Dickinson, ND**

Variety	Days	Seeds	Plant	Test	Protein	----- Grain Yield-----			----- Average Yield -----	
	to	per				2015	2016	2017	2	3
	Head	Pound	Height	Weight					Year	Year
			in	lbs/bu	%	-----bu/ac-----			----bu/ac----	
AC Commander	59	13,145	21	58.3	17.0	63.5	47.6	31.1	39.3	47.4
AC Navigator	61	11,940	21	59.3	16.1	61.4	43.7	31.6	37.6	45.5
Alkabo	60	11,829	23	58.8	15.8	68.2	53.1	32.0	42.5	51.1
Alzada	59	11,201	23	58.3	15.7	59.6	39.9	35.0	37.4	44.8
Ben	60	11,713	26	58.0	16.7	68.1	43.7	33.0	38.3	48.3
CDC Verona	60	13,192	23	56.8	18.1	59.0	47.7	29.8	38.8	45.5
Carpio	61	11,736	23	58.8	15.8	67.4	52.5	33.2	42.8	51.0
Divide	61	12,795	25	57.8	16.4	73.7	54.2	33.2	43.7	53.7
Grenora	61	12,852	23	57.5	16.2	75.0	51.5	35.2	43.3	53.9
Joppa	61	13,629	23	56.8	16.5	69.1	56.7	34.0	45.3	53.2
Lebsock	59	12,879	22	57.5	17.0	68.2	52.8	31.8	42.3	50.9
Maier	59	12,383	25	58.0	17.1	72.0	45.1	32.4	38.7	49.8
Mountrail	61	12,611	24	58.0	16.7	68.4	50.3	35.9	43.1	51.5
Pierce	59	12,143	24	58.3	16.4	71.4	48.2	32.5	40.4	50.7
Rugby	61	13,061	26	57.3	17.3	66.3	45.8	31.8	38.8	48.0
Strongfield	62	12,463	25	58.3	17.0	63.9	51.2	33.8	42.5	49.7
Tioga	61	12,383	24	58.3	16.9	74.7	51.5	32.8	42.1	53.0
VT Peak	58	12,113	23	59.3	16.6	--	51.7	30.0	40.8	--
Trial Mean	61	12,406	24	58.3	16.8	69.3	50.2	31.9	--	--
CV %	2.6	7.4	5.7	1.4	4.2	6.3	9.6	9.9	--	--
LSD 0.05	2	1,853	2	1.6	1.4	6.1	6.8	4.4	--	--
LSD 0.10	2	1,545	2	1.4	1.2	5.1	5.7	3.7	--	--

Planting Date: April 26, 2017  
 Harvest Date: August 7, 2017  
 Previous Crop: Cover Crop  
 Seeding Rate: 1.2 million live seeds/ac

## 2017 Winter Wheat - Recrop

Dickinson, ND

Variety	Winter Survival	Heading Date from 1/1	Seeds		Plant Height in	Test Weight lbs/bu	Protein %	----- Grain Yield-----			Average Yield	
			per Pound	2015				2016	2017	2	3	
										Year	Year	
							-----bu/ac-----			bu/ac	bu/ac	
AC Broadview	100	160	17,267	20	56.5	13.6	75.1	37.2	54.3	45.7	55.5	
AC Emerson	100	159	19,491	23	59.2	14.6	79.7	31.7	52.5	42.1	54.7	
AC Gateway	100	160	17,061	21	58.4	15.0	71.5	32.0	48.3	40.1	50.6	
Accipiter	100	162	19,441	22	56.4	13.5	83.9	37.8	53.8	45.8	58.5	
CDC Chase	100	159	17,641	25	57.7	13.2	76.3	35.1	56.4	45.7	55.9	
Decade	100	159	15,952	23	58.8	14.2	66.2	34.0	59.1	46.6	53.1	
Flourish	100	158	16,029	23	56.4	14.7	72.1	33.7	54.7	44.2	53.5	
Ideal	100	159	16,258	20	58.4	13.0	55.5	40.3	52.1	46.2	49.3	
Jerry	100	160	15,468	24	56.6	13.8	65.7	28.9	58.4	43.7	51.0	
Keldin	100	161	13,332	23	58.3	13.8	--	--	59.9	--	--	
Loma	100	162	18,184	19	55.5	15.2	--	31.6	45.2	38.4	--	
Lyman	100	158	14,257	24	60.7	14.1	75.6	35.6	54.7	45.1	55.3	
Moats	100	161	18,298	25	56.4	14.2	67.2	31.8	57.6	44.7	52.2	
Northern	100	161	15,625	20	59.8	14.5	81.0	36.5	51.5	44.0	56.4	
Oahe	100	159	13,754	22	59.9	13.2	--	--	54.5	--	--	
Overland	100	159	15,171	24	59.6	13.6	77.5	31.7	58.2	45.0	55.8	
Peregrine	100	160	18,168	28	57.2	12.5	79.1	37.9	58.6	48.3	58.5	
Redfield	100	158	15,354	22	59.2	13.6	70.2	33.9	53.3	43.6	52.4	
Ruth	100	158	14,824	22	59.6	13.4	--	27.6	53.5	40.6	--	
SY Monument	100	158	15,693	22	57.6	12.3	--	48.7	62.0	55.3	--	
SY Sunrise	100	156	14,803	20	60.0	12.4	--	38.7	60.2	49.4	--	
SY Wolf	100	158	15,670	25	60.1	13.6	77.0	44.7	57.9	51.3	59.9	
WB Matlock	100	159	16,709	24	58.0	14.0	75.3	40.2	60.9	50.5	58.8	
WB4614	100	160	18,076	22	58.0	14.1	67.8	38.6	56.2	47.4	54.2	
Trial Mean	100	159	16,311	23	58.4	13.8	72.8	34.4	55.2	--	--	
CV %	0	0.6	4.1	6.8	1.4	1.7	13.0	16.5	9.0	--	--	
LSD 0.05	0	1	1,385	2	1.1	0.5	13.3	9.3	7.0	--	--	
LSD 0.10	0	1	1,149	2	0.9	0.4	11.1	7.7	5.9	--	--	

Planting Date: September 9, 2016

Harvest Date: July 20, 2017

Previous Crop: Cover Crop

Seeding Rate: 1 million live seeds/ac

**2017 Oat - Recrop**

**Dickinson, ND**

Variety	Days to Head	Seeds per Pound	Plant Height in	Test Weight lbs/bu	----- Grain Yield-----			----- Average Yield-----	
					2015	2016	2017	2015 Year	2016 Year
					-----bu/ac-----			-----bu/ac-----	
AC Pinnacle	63	15,100	25	32.6	161.6	150.3	83.4	116.9	131.8
Beach	61	14,034	27	34.8	115.6	130.9	70.3	100.6	105.6
CDC Dancer	63	15,223	27	32.8	141.3	135.3	74.4	104.8	117.0
CDC Minstrel	62	13,407	23	33.0	149.9	133.9	70.2	102.1	118.0
Cs Camden	62	13,263	26	28.7	--	--	72.4	--	--
Deon	63	14,425	27	31.4	150.5	126.9	76.1	101.5	117.8
GM 423	64	13,622	27	26.9	142.4	140.2	73.6	106.9	118.7
Hayden	62	13,247	28	33.6	--	140.7	80.9	110.8	--
HiFi	63	14,696	26	30.2	140.7	123.3	69.7	96.5	111.2
Hyttest	59	14,127	30	33.9	108.8	108.3	66.0	87.2	94.4
Jury	61	15,107	31	31.2	134.0	111.2	73.2	92.2	106.1
Killdeer	60	14,501	24	33.3	149.8	125.3	81.8	103.6	119.0
Leggett	61	14,973	24	32.5	150.1	133.4	70.9	102.2	118.1
Newburg	61	14,562	31	30.5	143.0	115.9	73.2	94.5	110.7
Otana	62	15,697	30	31.8	127.3	126.1	76.5	101.3	110.0
Paul*	65	15,884	27	36.2	105.0	91.8	43.3	67.6	80.0
Rockford	62	14,551	27	33.9	144.1	133.2	71.2	102.2	116.2
Souris	62	16,322	24	32.4	145.0	111.5	78.2	94.8	111.6
Stallion	63	17,194	30	31.9	134.6	118.4	83.2	100.8	112.0
Trial Mean	62	14,578	27	31.8	140.5	122.8	72.9	--	--
CV %	1.9	5.8	6.7	3.1	8.4	9.0	9.6	--	--
LSD 0.05	2	1,734	3	1.4	16.6	15.5	9.8	--	--
LSD 0.10	1	1,442	2	1.1	13.9	12.9	8.2	--	--

Planting Date: April 27, 2017

Harvest Date: July 31, 2017

\* Hulless

Previous Crop: Cover Crop

Seeding Rate: 1 million live seeds/ac



**2017 Chickpea - Recrop**

**Dickinson, ND**

Variety	Days	Days	Plant Height	1000 seed weight	Seeds per Pound	Test Weight	-----Seed Size (mm)-----				Yield
	to Flower	to Mature					<8	8-9	9-10	>10	
			in	gm		lbs/bu					lbs/ac
<b><i>Kabuli type</i></b>											
CDC Frontier	53	78	10	353	1,284	62.0	10	42	42	7	1149.6
CDC Luna	53	78	8	372	1,222	61.3	10	27	47	16	764.1
Sawyer	51	75	10	416	1,092	61.0	4	25	48	23	891.0
Sierra	51	75	10	436	1,041	59.4	10	13	33	44	573.0
<b><i>Small Kabuli Type</i></b>											
B-90	54	78	11	275	1,650	62.8	59	41	0	0	866.8
<b><i>Desi Type</i></b>											
CDC Anna	50	76	11	208	2,180	60.4	92	8	0	0	775.2
Trial Mean	52	77	10	343	1,411	61.1	31	26	28	15	837
CV %	2.2	1.9	8.2	2.9	2.5	0.5	8.41	12.82	8.5	20.9	10.85
LSD 0.05	2	2	1	15	53	0.5	4	5	4	5	137
LSD 0.10	1	2	1	12	44	0.4	3	4	3	4	113

Planting Date: April 27, 2017  
 Harvest Date: August 21, 2017  
 Previous Crop: Cover Crop

## 2017 Field Pea - Recrop

Dickinson, ND

Variety	Days to Flower	Days to Mature	1000 Seed Weight gm	Seeds per Pound	Plant Height in	Vine Length in	Height Index %	Test Weight lbs/bu	--Grain Yield--			Average Yield	
									2015	2016	2017	2015	2016
									-----bu/ac-----				--bu/ac--
<b>Yellow Types</b>													
Agassiz	50	66	189	2,406	14	16	85	65.9	59.9	31.2	21.6	26.4	37.6
DS Admiral	51	66	218	2,082	14	16	90	65.5	57.0	29.7	23.1	26.4	36.6
Durwood	49	65	197	2,301	16	19	86	64.8	--	--	22.8	--	--
Nette 2010	49	63	209	2,172	14	18	81	65.8	--	27.9	25.4	26.6	--
Spider	51	67	200	2,264	16	18	87	65.6	--	22.6	18.5	20.5	--
<b>Green Types</b>													
Arcadia	49	63	177	2,568	12	14	88	62.1	--	30.3	25.8	28.0	--
CDC Striker	49	64	178	2,552	13	14	89	64.3	56.4	28.4	24.8	26.6	36.6
Cruiser	49	65	174	2,612	14	16	89	64.5	54.2	26.7	22.7	24.7	34.5
LG Koda	50	64	202	2,254	14	15	89	65.7	--	--	21.3	--	--
Viper	49	63	205	2,211	18	19	91	66.6	--	--	22.0	--	--
Trial Mean	49	65	195	2,342	14	17	88	65.0	58.1	28.1	22.8	--	--
CV %	2.2	1.4	3.5	3.5	8.3	9.8	5.8	2.5	7.5	7.4	8.5	--	--
LSD 0.05	2	1	10	118	2	2	7	2.4	6.4	3.1	2.8	--	--
LSD 0.10	1	1	8	98	1	2	6	2.0	5.3	2.6	2.3	--	--

Planting Date: April 28, 2017

Harvest Date: July 21, 2017

Previous Crop: Cover Crop

Seeding Rate: 325,000 live seeds/ac

## 2017 Lentil - Recrop

Dickinson, ND

Variety	Days to Flower	Days to Mature	1000 Seed Weight gm	Seeds per Pound	Plant Height in	Vine Length in	Height Index %	Test Weight lbs/bu	----Grain Yield----			Average Yield	
									2015	2016	2017	2	3
									----lbs/ac----			---lbs/ac---	
<b>Large Green Types</b>													
CDC Greenland	50	74	56	8,102	11	12	88	59.6	2,155	971	800	885	1,308
Pennell	50	77	59	7,733	10	11	87	59.6	1,583	1,302	721	1,011	1,202
Riveland	50	74	66	6,888	10	12	88	59.8	1,659	1,124	698	911	1,160
<b>Medium Green Type</b>													
CDC Richlea	50	76	45	10,110	9	11	89	61.8	2,337	1,584	858	1,221	1,593
<b>Small Green Type</b>													
CDC Viceroy	50	74	31	14,772	10	11	87	62.9	2,544	1,521	730	1,125	1,598
<b>Small French Green Type</b>													
CDC Lemay	53	75	31	14,814	9	10	85	62.3	1,949	1,315	369	842	1,211
<b>Medium Red Type</b>													
CDC Red Rider	51	76	42	10,937	10	12	83	62.1	2,551	1,585	816	1,201	1,651
<b>Small Red Types</b>													
CDC Redberry	51	74	41	11,191	10	11	84	61.5	1,811	1,229	700	965	1,247
CDC Rouleau	53	75	37	12,147	9	11	87	60.4	2,241	1,511	590	1,050	1,447
<b>Extra Small Red Type</b>													
CDC Rosetown	52	78	26	17,171	9	11	87	62.4	2,124	1,406	759	1,083	1,430
Trial Mean	51	75	42	11,555	10	11	87	61.3	2,095	1,355	697	--	--
CV %	2.4	1.0	3.2	2.5	5.9	7.1	3.4	1.3	12.3	9.0	10.7	--	--
LSD 0.05	2	1	2	412	1	1	4	1.2	373	177	107	--	--
LSD 0.10	1	1	2	342	1	1	4	1.0	310	147	89	--	--

Planting Date: April 27, 2017  
Harvest Date: August 1, 2017  
Previous Crop: Cover Crop  
Seeding Rate: 600,000 live seeds/ac