

**NDSU Carrington Research Extension Center
2020 Variety Trial Data**

Durum - No-till							Carrington
Variety	Days to Head	Plant Height inch	Plant Lodge 0-9	Grain Protein %	1000 KWT gram	Test Weight lb/bu	Grain Yield bu/ac
Mountrail	56.0	26.6	0.8	16.6	27.4	57.9	39.2
Lebsock	54.8	29.3	0.5	15.9	29.5	60.2	36.7
Alkabo	55.8	27.8	0.3	16.2	28.9	57.8	33.4
Grenora	55.3	28.3	0.8	16.3	29.8	59.5	39.7
Divide	55.5	28.6	1.3	17.4	27.3	59.3	39.6
Tioga	55.3	31.1	1.0	16.3	31.8	59.1	41.1
Carpio	55.8	30.1	2.0	16.7	30.3	58.4	45.7
Joppa	56.0	28.5	1.0	14.2	32.3	59.3	41.9
ND Grano	56.3	29.1	1.0	15.8	30.3	59.6	48.7
ND Riveland	56.3	31.5	1.3	15.2	30.3	59.3	45.9
MEAN	55.9	29.3	1.0	16.0	29.9	59.1	41.8
C.V. (%)	0.9	6.7	76.8	6.1	9.2	2.1	15.5
LSD 0.10	0.6	2.3	0.9	1.2	NS	NS	7.7
LSD 0.05	0.8	NS	NS	1.4	NS	NS	9.3

Planting Date = May 12; Harvest Date = August 18 ; Previous Crop = Field Pea

* Durum seeding rate used in this trial was 1,400,000 pure live seeds acre⁻¹.