

**NDSU Carrington Research Extension Center  
2013 Variety Trial Data**

<b>Einkorn - Organic</b>	<b>Carrington</b>
--------------------------	-------------------

Variety	Vigor <sup>1</sup> 1-5	Days to Heading	Plant Lodge	Plant Height inch	1000 KWT gram	Test Weight lb/bu	----- Seed Yield -----	
							2013 ----- lb/ac -----	2-yr. Avg.
AG1	2.0	62.5	1.0	43.6	30.8	32.0	2678.0	--
AG2 <sup>2</sup>	1.0	.	.	.	.	.	.	--
WB Alpine	3.5	64.0	3.0	43.0	40.3	32.1	3676.1	--
PI538722	2.5	58.5	3.0	38.3	40.9	35.4	3037.5	--
TM23	3.5	55.0	3.8	35.2	44.0	34.6	3857.5	3632.3
Mean	2.5	60.0	2.7	40.0	39.6	33.7	3363.0	--
C.V. (%)	25.3	1.2	26.5	4.4	2.8	2.1	6.0	--
LSD 0.10	0.8	1.0	1.0	2.3	1.5	0.9	264.2	--

**Planting Date = May 13; Harvest Date = August 30; Previous Crop = Sorghum-sudan, cowpea, and forage soybean cover crop**

<sup>1</sup> Vigor score is a rating of early season vigor where 1 = worst and 5 = best.

<sup>2</sup> AG2 is winter einkorn therefore no data is reported due to variety staying in vegetative stage.