

Divide County

Variety	Protein <sup>1</sup> %		Test Weight lb/bu	Yield bu/a		
	2013	3yr avg		2013	2yr avg	3yr avg
Maier	14.4	15.0	54.7	64.8	58.0	43.3
Pierce	14.3	14.6	55.6	62.6	56.2	42.9
Grenora	14.3	14.4	53.6	58.5	55.7	42.9
Mountrail	14.1	15.1	53.2	60.0	50.4	42.3
Tioga	14.6	14.6	53.2	60.1	51.9	40.1
CDC Verona	16.4	15.6	54.0	55.0	49.6	39.9
Divide	15.6	15.2	54.1	54.6	51.3	39.9
Lebsock	14.8	14.5	54.4	49.9	52.8	39.9
Ben	15.1	15.6	52.3	53.8	45.1	37.6
Alkabo	15.1	14.8	53.1	49.1	49.3	37.5
Strongfield	16.8	16.1	53.4	45.2	48.0	37.4
AC Commander	14.7	14.6	49.7	50.3	44.3	35.5
DG Max	14.9	15.5	55.0	45.7	42.9	33.8
AC Navigator	14.7	14.8	51.4	49.6	41.4	33.0
Alzada	14.8	14.8	47.1	40.2	37.8	28.1
Carpio	14.1		55.1	57.7	54.2	
Silver	15.0		50.7	38.9	41.7	
Rugby	14.5		55.5	59.3		
VT Peak	14.2		57.2	57.8		
Mean	14.8		53.1	53.2		
C.V.%	2.8		1.6	8.8		
LSD 10%	0.6		1.1	6.4		

Location: Latitude 48 51'; Longitude 103 19'W; Elevation 2048 ft

Planted: 5/15/13

Applied fertilizer in lb/a: 66 N : 82 P2O5 : 0 K2O

Soil type: Hamerly-Tonka complex

Soil test to 6" in lb/a: 7 P : 345 K OM-3.5 pH-8.0

Protein<sup>1</sup> = Reported on a 12% moisture basis

Harvested: 9/13/13

Harvested area: 56 ft<sup>2</sup>

Previous crop: spring wheat

Soil test to 24" in lb/a: 44N