

# A Game Changer: Pyrethroid- Resistant Soybean Aphids

**Robert Koch**  
Department of Entomology



UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>

# Outline

- Soybean aphid management
- Documentation of resistance
- Managing resistant populations

# Resistance

- Genetically-based decrease in susceptibility to a pesticide (Tabashnik et al. 2014)



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>



[precisiontillage.com](http://precisiontillage.com)




UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>

# Foliar insecticides for soybean aphid

<b>Group 1 AChE inhibitors</b>	<b>Group 3 Na channel modulators</b>	<b>Group 4 nAChR agonists</b>
1A methomyl	3A alpha-cypermethrin beta-cyfluthrin bifenthrin cyfluthrin deltamethrin esfenvalerate gamma-cyhalothrin lambda-cyhalothrin permethrin zeta-cypermethrin pyrethrins	4A acetamiprid chlothianadin imidacloprid thiamethoxam
1B acephate chlorpyrifos dimethoate		4D flupyradifurone


# Soybean aphid & resistance?

- “Light resistance” to organophosphates in China (Quin et al. 2011)
- No evidence of resistance in MI (Chandrasena et al. 2011)
- First records of resistance in North America (Hanson et al. 2017)



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Counties with pyrethroid performance issues (2015)



University of Minnesota

Map by B. Potter


# Soybean aphid resistance monitoring, 2015

- Aphids from field with bifenthrin failure
- Glass-vial assays
  - Bifenthrin or  $\lambda$ -cyhalothrin
  - 10 concentrations of insecticide & untreated
  - 10 adults per vial
  - Mortality assessed after 4 h




UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# $LC_{50}$ & resistance ratio




UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# 2015: Lamberton, MN



# Counties with pyrethroid performance issues (2016)




University of Minnesota  
Iowa State University

Map by B. Potter


# Soybean aphid resistance monitoring, 2016

- Aphids throughout state
- Glass-vial assays
  - Bifenthrin or  $\lambda$ -cyhalothrin
  - 10 concentrations of insecticide & untreated
  - 10 adults per vial
  - Mortality assessed after 4 h




UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>


# 2016: bifenthrin



# 2016: $\lambda$ -cyhalothrin



# Counties with pyrethroid performance issues (2017)




- University of Minnesota
- North Dakota State University
- Iowa State University
- South Dakota State University

Map by B. Potter




UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Discriminating dose: LC<sub>99</sub>



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Glass-vial bioassays (2017)




Univ. of Minnesota,  
North Dakota State Univ.,  
South Dakota State Univ.,  
Iowa State Univ., &  
Manitoba Agriculture



UNIVERSITY OF MINNESOTA  
*Driven to Discover*<sup>SM</sup>

# Glass-vial bioassays (2017)



Univ. of Minnesota,  
North Dakota State Univ.,  
South Dakota State Univ.,  
Iowa State Univ., &  
Manitoba Agriculture



UNIVERSITY OF MINNESOTA  
*Driven to Discover*<sup>SM</sup>

# How did we get here?

- Reliance on few insecticide groups for aphid management
- Persistent infestations in/near MN
- Treating more than needed
  - Treating fields below threshold
  - Adding insecticide when targeting weeds or pathogens (“...just in case”)
  - Using low rates of insecticide



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Insecticide-resistant aphids

Species	Insecticides resisted
Green peach aphid	BPU, C, Nic, OC, OP, Py
<u>Cotton/melon aphid</u>	C, OC, OP, Py
Greenbug	OP
Hop aphid	C, OP, Py
Currant-lettuce aphid	C, OC, OP
Rosy apple aphid	C, OP, Py
Potato aphid	C, OP, Py
<u>Cowpea aphid</u>	Nic, C, OP, Py
<u>Bean aphid</u>	C, OP
<u>Buckthorn aphid</u>	C
Turnip aphid	OP, Py
Bird cherry-oat aphid	OP
Spotted alfalfa aphid	C, OP

**BPU: benzoylphenyl ureas;**  
**C: carbamates;**  
**Nic: nicotine/neonics;**  
**OC: organochlorines;**  
**OP: organophosphates;**  
**Py: pyrethroids**

Foster et al. 2007

# Pyrethroid resistance

- General mechanisms
  - Metabolic
    - monooxygenases (cytochrome P450)
    - esterases
    - glutathione S-transferases
  - Target site insensitivity
    - knock down resistance (kdr; super-kdr)
  - Reduced cuticular penetration

# Soybean aphid resistance to $\lambda$ -cyhalothrin in China

- 76-fold resistance after 40 generations of laboratory selection with  $\lambda$ -cyhalothrin
- Increased esterase & cytochrome P450 expression
- Cross resistance to: chlorpyrifos, acephate, cypermethrin, esfenvalerate, cyfluthrin, carbofuran, and bifenthrin

# Now what?

- Don't waste your bullets




prep-blog.com



UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>



# 1. Don't spray when not needed

# 1. Don't spray when not needed



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Soybean aphid yield loss relationship




Data from Ragsdale et al. 2007. JEE 100(4): 1258-1267

UNIVERSITY OF MINNESOTA


graphs from K. Tilmon

# Damage curve: pest population & yield



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Decision making




UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# “Speed scouting”

- Tally threshold
- Pros:
  - Saves time
  - Easy to use
- Cons:
  - Less detailed
  - Over-recommends treatment

Aphid Speed Scout App (Android & Iphone/Ipad)



## Blank, hard-copy worksheets:

[http://www.ent.iastate.edu/dept/faculty/hodgson/files/ul/2009 Speed Scouting blank form.pdf](http://www.ent.iastate.edu/dept/faculty/hodgson/files/ul/2009%20Speed%20Scouting%20blank%20form.pdf)



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# 2. If you spray, do it right

## 2. If you spray, do it right

- Rates
  - Use only labeled rates of insecticides
  - High labeled rates may be preferred

## 2. If you spray, do it right

- Rates
- Nozzles, volume & pressure
  - Small droplets
  - Ground: >15 gal/ac at >30 psi
  - Air: 3-5 gal/ac



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

## 2. If you spray, do it right

- Rates
- Nozzles, volume & pressure
- Environmental conditions
  - Avoid spraying under conditions that promote droplet or vapor drift
  - Windy, temperature inversion, etc.



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

## 2. If you spray, do it right

- Rates
- Nozzles, volume & pressure
- Environmental conditions
- Scout field 3-5 days after spraying to check effectiveness



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>


# 3. If you have a failure...

### 3. If you have a failure...

- Rule out other causes
  - Incorrect pesticide or rate, poor coverage
  - Unfavorable conditions during application
  - Re-colonization by pest

# 3. If you have a failure...

- Rule out other causes
- Alternate insecticide group for next spray
  - Group numbers are on labels
  - Mixtures are generally less effective for resistance management




UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>

# Foliar insecticides for soybean aphid

<b>Group 1 AChE inhibitors</b>	<b>Group 3 Na channel modulators</b>	<b>Group 4 nAChR agonists</b>
1A methomyl	3A alpha-cypermethrin beta-cyfluthrin bifenthrin cyfluthrin deltamethrin esfenvalerate gamma-cyhalothrin lambda-cyhalothrin permethrin zeta-cypermethrin pyrethrins	4A acetamiprid chlothianadin imidacloprid thiamethoxam
1B acephate chlorpyrifos dimethoate		4D flupyradifurone

..... Untreated ..... Sivanto prime 4 oz - - - Sivanto prime 5 oz  
— Sivanto prime 7 oz — Warrior II 1.6 oz — Endigo ZC 4 oz



Lamberton, MN 2017  
Bruce Potter (U of MN)

UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Example insecticide rotations

Initial treatment	Re-treatment
-------------------	--------------

Aphids below ET

Aphids at or above ET

- *Pyrethroid resistance  
not expected*

- *Pyrethroid resistance  
suspected*



Driven to Discover<sup>SM</sup>

# Example insecticide rotations

	Initial treatment	Re-treatment
Aphids below ET	Don't spray	---
Aphids at or above ET		
• <i>Pyrethroid resistance not expected</i>		
• <i>Pyrethroid resistance suspected</i>		



Driven to Discover<sup>SM</sup>

# Example insecticide rotations

	Initial treatment	Re-treatment
Aphids below ET	Don't spray	---
Aphids at or above ET		
• <i>Pyrethroid resistance not expected</i>	chlorpyrifos	Py, Py+NN
	Py	chlorpyrifos, Py+NN, Py+OP
	Py+NN	chlorpyrifos
• <i>Pyrethroid resistance suspected</i>		


# Example insecticide rotations

	Initial treatment	Re-treatment
Aphids below ET	Don't spray	---
Aphids at or above ET		
• <i>Pyrethroid resistance not expected</i>	chlorpyrifos	Py, Py+NN chlorpyrifos, Py+NN, Py+OP
	Py	
	Py+NN	chlorpyrifos
• <i>Pyrethroid resistance suspected</i>	chlorpyrifos	Py+NN
	Py+NN	chlorpyrifos
	Py+OP	Py+NN, C

### 3. If you have a failure...


- Rule out other causes
- Alternate insecticide group for next spray
- Report to Extension

# Seed treatments



Krupke et al. 2017

# Aphid-resistant soybean



McCarville et al. 2014

McCarville et al. 2014;  
Hesler et al. 2013



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Limited availability of aphid-resistant soybean

Brand names	Company	Relative maturity	Resistance gene(s)
0543	Gold Country Seed	0.5	<i>Rag1</i>
1114		1.1	<i>Rag1</i>
LS 10R551N	Legend Seeds	1.0	<i>Rag1</i>
NS1040NR2	NorthStar Genetics	1.1	<i>Rag1</i>
3511 R2YN	Thunder Seed	1.1	<i>Rag1</i>
Viking 0.1544AT	Viking Seeds	1.5	<i>Rag1</i>
Viking 0.1955AT		1.9	<i>Rag1</i>
Viking 2188NAT		2.1	<i>Rag1 &amp; Rag2</i>
Viking 0.2188AT12N		2.1	<i>Rag1 &amp; Rag2</i>
Viking 0.IA2104RA12		2.3	<i>Rag1 &amp; Rag2</i>
Viking 0.2399AT12N		2.4	<i>Rag1 &amp; Rag2</i>

# Biological control

- Predators
  - Lady beetles
  - Minute pirate bugs
  - Lacewings
  - Syrphid flies
- Parasitic wasps
- Fungal diseases



Heimpel et al. 2004; Ragsdale et al. 2011; Koch & Costamagna 2017



UNIVERSITY OF MINNESOTA  
Driven to Discover<sup>SM</sup>

# Conclusions

- Few tools (bullets) available to manage soybean aphid
- 3 years of pyrethroid failures & confirmed resistance
- What to do?
  - Don't spray when not needed
  - If you spray, do it right
  - If you have a failure, alternate insecticide groups



prep-blog.com



UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>

# Thank you

Questions???

Robert Koch: [koch0125@umn.edu](mailto:koch0125@umn.edu)



UNIVERSITY OF MINNESOTA  
**Driven to Discover**<sup>SM</sup>