

**North Central Research Extension Center—Minot  
Emmer Variety Trial**

Variety	Days to Head	Plant Height	Lodge	Kernel Weight	Test Weight	Protein	Grain Yield				
							2008	2009	2010	2	3
	DAP <sup>1</sup>	in	0-9 <sup>2</sup>	g/1000	lb/bu	%	bu/A				
Bowman	72	41	6.3	59.7	34.6	15.0	75.8	80.4	91.8	86.1	82.7
Common-H	72	42	6.0	59.0	35.5	14.8	88.1	103.3	94.9	99.1	95.4
Common-M	72	42	6.0	62.0	33.8	15.1	79.2	99.7	94.4	97.0	91.1
Common-MC	72	42	6.3	63.9	32.8	15.1	--	--	91.4	--	--
Common-R	72	41	6.5	57.2	35.0	14.9	75.4	98.4	91.4	94.9	88.4
Debra	66	24	2.8	35.0	46.3	14.9	--	--	69.9	--	--
Lucille	72	43	5.3	77.3	35.2	15.0	85.9	115.2	117.0	116.1	106.0
ND Common	72	42	4.8	69.5	35.7	14.9	86.5	121.0	110.7	115.8	106.1
Red Vernal	72	42	5.0	77.5	35.2	14.8	88.7	114.5	110.8	112.6	104.6
Vernal	71	42	5.8	74.5	35.3	15.0	--	--	112.2	--	--
LSD 5%	1	2	1.0	4.3	1.4	0.3	7.2	13.0	11.0	--	--
C.V.%	0.6	2.9	12.9	4.7	2.6	1.2	5.8	8.4	7.7	--	--
Mean	71	40	5.5	63.5	35.9	14.9	82.8	104.6	98.4	--	--

*Planted on April 22 with a seeding rate of 1 million PLS and harvested on August 19.*

<sup>1</sup> DAP = Days after planting.

<sup>2</sup> Lodging score based on scale 0-9 (0 = upright, 9 = flat).