#### North Central Region Canola Research Grant Progress Report February 6, 2009

#### Title

Effect of Tillage System and Nitrogen Source and Fertility on Canola Performance in Central North Dakota.

## Investigators

Ezra Aberle, PI Blaine Schatz, Co-PI

## Objectives

To determine the effect of tillage system, N fertility, and soybean as an alternative crop prior to canola on canola establishment, yield and quality, disease incidence and severity, and weed management.

## Progress

Methods: The trial was conducted at Carrington in 2008. The experimental design for the trial was a split-split-plot design with three replicates.

The proposed treatments would utilize Roundup Ready soybean as the previous crop. Therefore, we will utilize Liberty Link canola to be competitive across tillage systems and to reduce the potential for building herbicide resistance.

Farm equipment sized tillage systems, 60 feet wide by 300 feet long, have been established since 1987. The tillage systems are conventional, minimum, no till. The conventional tillage system is defined by multiple tillage (~3) operations resulting in less that thirty percent residue cover after seeding. The minimum tillage system generally has two tillage operations (non-inversion) resulting in greater than thirty percent residue cover after seeding. The no-till has zero tillage other than disc openers from the drill resulting in greater than eighty percent residue cover after seeding.

Four N fertility treatments will be imposed perpendicularly across the tillage systems. Fertility treatments are urea applied with the drill each spring to plots at 0, 50, and 100 actual pounds of N per acre. An addition N treatment is a composted manure application designed to make available 50 pounds of N per year for the duration of the four year rotation. This creates a split-split-plot design with crop as the whole plot (1.25 Acres) tillage system as the subplot (.42 Acre) and N fertility treatment as the sub-sub-plot (.10 Acre). The large size allows for adequate sampling area for data collection of the numerous parameters without confounding data.

Liberty Link hybrid canola seed was planted on May 3 at 500,000 seeds / acre. The trial was harvested August 9.

<u>Results:</u> In the Carrington region, the 2008 growing season started out with below-average temperatures and precipitation except for the month of June which had above-average precipitation. The limited spring rainfall coupled with the dry fall of 2007 led to seedbed conditions where soil moisture was marginal for crop establishment. Consequently canola stands were reduced due to dry conditions at planting and flowering and the yields suffered consequently (Table 1,2,3). Canola yields ranged from 619 to 1,366 lbs / acre (Table 3). Total above ground biomass ranged for 3,649 to 5,928 lbs / acre (Table 3).

Tillage system did not significantly affect any of the parameters measured across all N fertility treatments (Table 1,4).

As N fertility across all tillage systems increased so did plant stand, plant height, and yield (Table 2). However, as higher N fertility treatments across all tillage systems began flowering sooner and had lower seed oil content than the lower N fertility treatments (Table 2). Manure is a viable alternative source of crop nutrients that does not have a negative impact on yield verses commercial fertilizer (Table 2,3,6).

The interaction of tillage and N fertility shows an increased response to N fertilizer in the reduced tillage systems and that manure had a greater response in the conventional tillage system (Table 3).

This data also shows that canola can be produced on ground that was soybean the previous year (Table 1,2,3).

#### Impact

This research project has helped identify an alternative fertilizer source along with tillage systems and a crop prior to canola that can be used to reduce the input costs of producing canola thereby increasing potential profit and acreage in North Dakota (Table 4,5,6).

#### Conclusions

By utilizing manure as a fertilizer source we are able to show that canola can achieve the same yields as applying N as synthetic fertilizer thereby proving that manure is an economically viable way to decrease input costs. Also, there is no statistical difference in canola yield across tillage systems so reducing tillage is also an economically viable way to decrease input costs. In addition, with soybean as a previous crop we can take advantage of the legume N credit further reducing input costs and potentially increasing canola acreage. A word of caution however, always be mindful of herbicides used in the soybean crop that can have detrimental carryover effect in the canola crop. Lastly, with the production costs associated this trial a minimum yield of 1,500lbs/acre is required to be profitable (Table 6).

Treatmer	Treatments											
Tillage	Biomass	1000		Grain	Straw			Beginning				
System	Weight	KWT	Oil	Yield	Weight	Stand	Plant Height	Bloom	End Bloom			
	lbs/acre	gm	%	lbs/acre	lbs/acre	plants/acre	cm	J. day	J. day			
Μ	4,757	3.0	43.1	1,006	3,268	435,074	88	175	191			
Ν	4,181	3.0	43.7	829	2,900	434,493	89	175	191			
Т	4,079	3.0	43.1	988	2,699	438,559	96	175	191			
Average	4,339	3.0	43.3	941	2,956	436,042	90.9	174.9	190.9			
C.V.	36	6.4	3.1	42	44	2	11.8	0.5	3.0			
LSD												
0.05	NS	NS	NS	NS	NS	NS	NS	NS	NS			

#### Table 1.The Affect of Tillage System Across N fertility

#### Table 2. The Affect of N Fertility Treatments Across Tillage Systems

	Biomass	1000		Grain			Plant		
	Weight	KWT	Oil	Yield	Straw Weight	Stand	Height	<b>Beginning Bloom</b>	End Bloom
N Fertility	lbs/acre	gm	%	lbs/acre	lbs/acre	plants/acre	cm	J. day	J. day
0	3,974	2.9	44.1	854	2,733	432,686	81	176	197
50	4,030	2.9	43.3	727	2,847	431,653	89	176	189
100	5,072	3.1	42.0	1,082	3,453	440,689	93	175	189
Μ	4,280	14.9	43.9	1,101	2,789	439,140	100	174	189
Average	4,339	5.9	43.3	941	2,956	436,042	90.9	174.9	190.9
C.V.	36	6.4	3.1	42	44	2	11.8	0.5	3.0
LSD 0.05	NS	NS	1.3	258	NS	7,769	10.5	0.8	5.5

# Table 3. The Affect of Tillage Systems and N Fertility Treatments AcrossReplications

		Biomass Weight	1000 KWT	Oil	Grain Yield	Straw Weight	Stand	Plant Height	Beginning Bloom	End Bloom
Tillage System	N Fertility	lbs/acre	gm	%	lbs/acre	lbs/acre	plants/acre	cm	J. day	J. day
М	0	4,437	3.0	44.2	996	3,081	429,071	83	176	197
М	50	4,401	2.9	43.7	757	3,117	430,620	79	176	189
М	100	5,928	3.1	41.8	1,366	3,969	440,689	93	175	189
М	Μ	4,261	2.9	42.8	905	2,904	439,914	98	174	189
Ν	0	3,837	2.9	45.0	619	2,745	434,493	79	176	196
Ν	50	3,716	2.8	42.7	731	2,617	426,748	89	175	189
Ν	100	4,691	3.0	42.0	922	3,246	444,561	92	175	189
Ν	Μ	4,482	3.1	45.1	1,043	2,993	432,169	94	174	189
Т	0	3,649	2.9	43.1	946	2,373	434,493	82	176	196
Т	50	3,972	2.9	43.6	695	2,806	437,591	98	176	189
Т	100	4,597	3.1	42.2	958	3,145	436,816	94	174	189
Т	Μ	4,098	3.0	43.7	1,354	2,470	445,336	109	174	189
Average		4,339	3.0	43.3	941	2,956	436,042	90.9	174.9	190.9
C.V.		36	6.4	3.1	42	44	2	11.8	0.5	3.0
LSD 0.05		2,260	NS	2.3	446	NS	13,456	18	1	NS

Table 4.	The	<b>Economics</b>	Associated	with	Tillage	S	ystems
						_	

Tillage	Tillage	Seeding	Chemical Total Cost of Production**		Grain Yield	Grain Price***	Net
System			\$/A		lbs/A	\$/lb	\$/A
М	\$8.01	\$12.83	\$21.00	\$205.48	917	\$143.93	-\$61.55
Ν	\$0.00	\$15.00	\$26.00	\$204.64	1,154	\$181.23	-\$23.41
Т	\$14.56	\$12.83	\$21.00	\$212.03	953	\$149.65	-\$62.38

 $\ast$  Urea at \$.36/lb and Manure at \$.10/lb of N

\*\* Includes Fertilizer (\$19.67avg), Seed \$28.50, Tillage, Seeding, Chemical, Swathing (\$7.92), Combining (\$20.55),

Overhead (\$32), and Land (\$55)

\*\*\*Grain price \$15.70/cwt

## Table 5. The Economics Associated with N Fertility and Source

Fertility	Fertilizer*	Total Cost of Production**	Grain Yield	Grain Price***	Net
Treatment		\$/A	lbs/A	\$/lb	\$/A
0	\$0.00	\$185.07	788	\$123.66	-\$61.41
50	\$18.00	\$203.07	869	\$136.49	-\$66.58
100	\$36.00	\$221.07	1,118	\$175.56	-\$45.51
М	\$5.00	\$190.07	1,257	\$197.37	\$7.30

\* Urea at \$.36/lb and Manure at \$.10/lb of N

\*\* Includes Fertilizer, Seed \$28.50, Tillage (\$4.88avg), Seeding (\$13.55avg), Chemical, Swathing (\$7.92),

Combining (\$20.55), Overhead (\$32), and Land (\$55)

\*\*\*Grain price \$15.70/cwt

Table 6. The Economics Associated with N Fertility and Source and Tillage System

						Total Cost of	Grain		
Tillage	Fertility	Fertilizer*	Tillage	Seeding	Chemical	Production**	Yield	Grain Price***	Net
System	Treatment				\$/A		lbs/A	\$/lb	\$/A
М	0	\$0.00	\$8.01	\$12.83	\$21.00	\$185.81	633	\$99.33	-\$86.48
М	50	\$18.00	\$8.01	\$12.83	\$21.00	\$203.81	866	\$135.91	-\$67.90
М	100	\$36.00	\$8.01	\$15.00	\$26.00	\$228.98	1,063	\$166.89	-\$62.09
М	М	\$5.00	\$8.01	\$12.83	\$21.00	\$190.81	1,106	\$173.59	-\$17.22
Ν	0	\$0.00	\$0.00	\$12.83	\$21.00	\$177.80	1,029	\$161.61	-\$16.19
Ν	50	\$18.00	\$0.00	\$15.00	\$26.00	\$202.97	932	\$146.38	-\$56.59
Ν	100	\$36.00	\$0.00	\$12.83	\$21.00	\$213.80	1,145	\$179.77	-\$34.04
Ν	М	\$5.00	\$0.00	\$12.83	\$21.00	\$182.80	1,511	\$237.17	\$54.37
Т	0	\$0.00	\$14.56	\$15.00	\$26.00	\$199.53	701	\$110.06	-\$89.47
Т	50	\$18.00	\$14.56	\$12.83	\$21.00	\$210.36	810	\$127.17	-\$83.19
Т	100	\$36.00	\$14.56	\$12.83	\$21.00	\$228.36	1,147	\$180.03	-\$48.33
Т	М	\$5.00	\$14.56	\$15.00	\$26.00	\$204.53	1,155	\$181.34	-\$23.20

\* Urea at \$.36/lb and Manure at \$.10/lb of N

\*\* Includes Fertilizer, Seed \$28.50, Tillage, Seeding, Chemical, Swathing (\$7.92), Combining (\$20.55), Overhead (\$32), and Land (\$55)

\*\*\*Grain price \$15.70/cwt