

W-1411 (Revised)



# Identification and Control of INVASIVE AND TROUBLESOME WEEDS in North Dakota

**Rodney G. Lym**, Professor of Weed Science  
NDSU Department of Plant Sciences

**Andrea J. Travnicek**, Natural Resources Specialist



**NDSU** NORTH DAKOTA  
STATE UNIVERSITY

N.D. Agricultural Experiment Station  
NDSU Extension Service



Reviewed and reprinted May 2015

This publication was made possible by collaboration of the authors, the North Dakota State University Extension Service and the North Dakota Department of Agriculture, with funding from the U.S. Forest Service for printing. This publication is intended to help land managers properly identify and control noxious and invasive weeds found in the state. The current list of 11 noxious weeds are included, as well as species listed by various counties as noxious. Other species included are either invasive weeds found in bordering states with the potential to move into North Dakota or are commonly misidentified native species that do not require control efforts, such as the native thistles.

Control recommendations are current at publication, but options change rapidly. Before beginning any management program, please consult with your local county Extension agent and/or weed officer for the latest chemical, cultural and biological control recommendations. Chemical control recommendations are updated annually and printed in the “North Dakota Weed Control Guide,” Extension publication W-253, and are updated more frequently on the Web at [www.ndsu.edu/weeds](http://www.ndsu.edu/weeds).

For the latest in biological control options, contact the North Dakota Department of Agriculture and/or the local staff of the U.S. Department of Agriculture - Animal and Plant Health Inspection Service in Bismarck.

## Photo credits

All photos in the publication are by Rodney G. Lym, North Dakota State University, except as noted below.

Page 8. Black henbane plant, rosette and pineapple-shaped fruit courtesy of Weeds of the West, Tom Whitson, editor.

Flower photograph courtesy of Washington State Noxious Weed Control Board.

Page 10. Photos from Richard Old, XID Services Inc.

Page 14. Common tansy photos courtesy of Celestine Duncan, Weed Management Services, Helena, Mont.

Page 18. Downy brome infestation photo courtesy of Leslie J. Mehrhoff, IPANE.

Panicle photograph courtesy of J.C. Schou, Biopix.dk

Ligule photograph from Virginia Tech Weed Guide.

Page 22. Halogeton photos courtesy of Blake Schaan, North Dakota Department of Agriculture, Bismarck, N.D.

Page 24. Hoary cress photos from Richard Old, XID Services Inc.

Page 28. Russian knapweed bracts courtesy of Steve Dewey, Utah State University.

Page 30. Spotted and diffuse knapweed bracts courtesy of Steve Dewey, Utah State University.

Page 32. Kochia seedling courtesy of Richard Zollinger, North Dakota State University.

Pages 34 and 36. Insect photos from Biological Control of Leafy Spurge CD, USDA-APHIS and USDA-ARS, TEAM Leafy Spurge's IPM information series No. 1.

Page 50. Marsh sowthistle flower photo from Richard Old, XID Services Inc.

Page 52. St. Johnswort photo courtesy of Corie Lund, Selfridge, N.D.

Page 66. Photos from Richard Old, XID Services Inc.

Pages 70 and 71. Toadflax photos courtesy of Steve Dewey, Utah State University.

# WEEDS

Absinth wormwood . . . . .	4
Baby's breath . . . . .	6
Black henbane . . . . .	8
Chamomile, false and scentless . . . . .	10
Common burdock . . . . .	12
Common tansy . . . . .	14
Dame's rocket . . . . .	16
Downy brome . . . . .	18
Field bindweed . . . . .	20
Halogeton . . . . .	22
Hoary cress . . . . .	24
Houndstongue . . . . .	26
Knapweed, Russian . . . . .	28
Knapweed, spotted and diffuse . . . . .	30
Kochia . . . . .	32
Leafy spurge . . . . .	34
Milkweed, common and showy . . . . .	38
Orange hawkweed . . . . .	40
Poison ivy . . . . .	42
Purple loosestrife . . . . .	44
Saltcedar . . . . .	46
Sowthistle, annual and spiny . . . . .	48
Sowthistle, perennial and marsh . . . . .	50
St. Johnswort . . . . .	52
Thistle, bull . . . . .	54
Thistle, Canada . . . . .	56
Thistle, Flodman . . . . .	60
Thistle, musk . . . . .	62
Thistle, plumeless . . . . .	64
Thistle, Scotch . . . . .	66
Thistle, wavyleaf . . . . .	68
Toadflax, Dalmatian and yellow . . . . .	70
Yellow starthistle . . . . .	74



The printing and design costs of this publication were paid for in part by the North Dakota Department of Agriculture and U.S. Forest Service.

North Dakota State University does not discriminate on the basis of age, color, disability, gender expression/identity, genetic information, marital status, national origin, public assistance status, sex, sexual orientation, status as a U.S. veteran, race or religion. Direct inquiries to the Vice President for Equity, Diversity and Global Outreach, 205 Old Main, (701)231-7708. This publication will be made available in alternative formats for people with disabilities upon request, (701) 231-7881.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille large print, audiotope, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office Of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

5M-4-10, 2.25M-6-11, 6.5M-10-12, 3M-5-15

