

**NDSU Carrington Research Extension Center
2006 Variety Trial Data**

Field Pea - Direct Seeded	Tri-County - Wishek
----------------------------------	----------------------------

Variety	-- Harvest Ease -					--- Seed Yield -						
	Days to Bloom	Days to PM	Vine Length cm	Lodge @ PM cm	2-yr. Avg. 0 - 9	Seed Protein %	Seeds/1000 Pound	1000 KWT gram	Test Weight lb/bu	2006 bu/ac	3-yr. Avg.	
CDC Mozart	55.3	78.5	39.0	3.3	4.8	6.3	21.7	2132	213	64.9	24.3	28.3
DS Admiral	54.0	77.5	47.0	1.5	1.8	2.7	22.4	1983	230	63.6	24.1	30.5
Eclipse	56.5	80.5	44.5	2.0	2.8	3.9	21.3	1914	237	65.1	21.1	--
Miami	54.5	79.5	46.0	2.5	3.0	--	22.5	2083	218	64.6	23.8	--
Majoret	56.0	82.0	42.5	1.5	2.5	3.3	21.9	2347	194	64.8	23.6	31.9
Cruiser	54.5	81.5	49.0	2.8	3.3	3.6	22.9	2376	191	63.7	21.9	26.7
Nitouche	56.8	83.0	45.0	2.3	3.0	3.0	23.1	1853	245	63.2	18.4	25.3
MEAN	55.7	80.4	44.7	2.4	3.2	--	22.2	2107	217.5	64.2	22.1	--
C.V.%	0.9	1.1	6.2	29.6	26.5	--	3.3	3.8	3.7	0.6	10.2	--
LSD.05	0.8	1.3	4.0	1.0	1.2	--	1.1	117	11.9	0.6	3.3	--

Planting Date = April 24 ; Harvest Date = July 23 ; Previous Crop = Spring Wheat

This trial was direct seeded into a non-tilled spring wheat residue.