

**North Central Research Extension Center—Minot
Triticale Variety Trial on Fallow (Spring)**

Variety	Days to Head	Plant Height	Lodge	Kernel Weight	Test Weight	Protein	Grain Yield				
							2006	2007	2008	2 Year	3 Year
	DAP ¹	in	0-9 ²	g/1000	lb/bu	%	-----bu/A-----				
Companion	63	48	4.8	44.5	55.0	15.4	85.3	46.6	68.7	57.7	66.9
Laser	63	46	5.5	44.8	55.0	13.6	72.8	54.2	66.0	60.1	64.3
Marvel	63	42	4.0	38.9	49.0	16.8	70.7	41.1	73.5	57.3	61.8
RSI 310	60	38	2.0	36.9	52.3	15.8	91.0	62.7	83.3	73.0	79.0
Trical 2700	65	45	2.8	41.1	50.2	14.9	91.9	43.8	79.9	61.9	71.9
Wapiti	63	47	4.3	43.4	54.7	15.8	81.2	47.9	65.2	56.6	64.8
LSD 5%	1	3	1.7	2.6	0.8	0.8	12.7	9.0	13.0	--	--
C.V.%	0.5	5.0	29.4	4.2	1.0	3.5	10.2	12.1	11.8	--	--
Mean	63	44	3.9	41.6	52.7	15.4	82.1	49.4	72.8	--	--

¹ DAP = Days after planting.

² Lodging score based on scale 0-9 (0 = upright, 9 = flat).