

**NDSU Carrington Research Extension Center
2009 Variety Trial Data**

Flax					Carrington		
Variety	Days to Bloom	Plant Height inch	Oil Content %, @9.0%M	Test Weight lb/bu	----- Grain Yield -----		
					2009	2-yr. Avg. bu/ac	3-yr. Avg.
CDC Arras	51.8	20.5	42.4	53.9	30.4	28.6	25.2
CDC Bethume	52.3	22.8	41.7	54.0	38.5	33.0	28.3
CDC Sorrel	53.0	23.8	41.7	53.3	33.3	31.7	--
Carter	50.9	21.5	41.7	54.1	31.9	30.7	26.4
Hanley	51.5	21.3	44.1	52.9	34.1	30.4	24.6
AC Lightning	51.5	21.7	40.7	52.9	31.4	29.4	--
Neché	50.8	21.5	42.0	54.4	33.3	30.1	26.5
Nekoma	52.0	20.9	41.2	54.3	29.6	29.3	25.0
Omega	51.8	19.9	41.2	54.0	28.7	27.6	23.8
Pembina	51.8	21.9	42.4	53.2	32.6	30.7	27.1
Prairie Blue	50.0	20.7	41.9	52.9	35.2	32.5	28.3
Prairie Grande	52.8	20.9	42.8	53.4	36.7	30.8	--
Rahab 94	52.3	21.7	41.8	53.7	33.5	29.4	25.9
Webster	51.8	20.7	41.4	54.2	30.9	29.3	23.4
York	52.3	21.1	40.9	54.9	28.8	27.9	24.7
MEAN	51.5	21.4	41.7	53.7	32.7	--	--
C.V.%	1.1	5.2	2.7	1.3	11.6	--	--
LSD.05	0.8	1.6	1.6	1.0	5.4	--	--

Planting Date = May 28 ; Harvest Date = September 24 ; Previous Crop = Soybean

* Plant lodging scores were recorded on all four replicates, however no lodging was present.