NDSU: Carrington Research Extension Center 2002 Variety Trial Data

Oat - Dryland Recrop Elite						Carrington
		Plant	Plant	Leaf	Test	Grain
Variety	Days to Head	Lodge	Height	Disease	Weight	Yield
		0-9	inch	%	lb/bu	bu/ac
AC Assiniboia	58.0	5.0	36.6	17	32.9	89.0
AC Medallion	57.0	6.0	37.0	12	33.2	80.2
AC Ronald	56.5	5.3	32.1	21	35.0	75.6
Brawn	56.0	5.3	31.5	88	30.5	52.6
Buff	52.0	8.3	34.4	45	44.0	50.6
Ebeltoft	59.3	5.8	32.8	28	33.9	73.5
HiFi	56.0	5.0	35.5	24	34.2	64.2
Hytest	53.8	7.5	36.0	76	37.6	53.0
Jerry	54.0	9.0	36.0	87	34.9	56.2
Jud	57.5	7.0	38.2	22	34.0	83.9
Killdeer	54.0	7.0	32.1	62	32.2	69.3
Loyal	57.3	5.8	38.0	7	36.2	87.7
Morton	56.0	5.3	39.5	18	35.3	72.3
Otana	56.3	9.0	37.9	88	28.0	50.5
Paul	58.8	5.8	37.1	41	37.1	47.2
Reeves	50.8	7.0	35.0	23	36.6	55.1
Sesqui	57.5	6.5	34.0	22	34.9	67.4
Triple Crown	60.0	4.5	37.9	18	30.3	42.7
Vista	56.0	7.5	36.2	17	34.7	76.8
Wabasha	53.5	8.3	33.7	26	32.5	60.7
Youngs	58.3	7.0	39.1	20	32.3	64.0
MEAN	55.8	6.3	36.1	30.9	35.1	69.8
C.V.%	1.6	21.4	4.7	26.5	3.1	13.0
LSD.05	1.2	1.9	2.4	16.7	1.5	12.8

Planting Date = May 10; Harvest Date = August 14; Previous Crop = Durum

Leaf Disease = percent of flag leaf with disease symptoms (primarily crown rust) at late milk.