

**NDSU Carrington Research Extension Center
2009 Variety Trial Data**

Forage/Cover Crop Pea								Carrington
Variety	Days to Bloom	Canopy Height inch	Companion Height inch	Harvest Moisture %	Crude Protein %dm	Yield 15% ton/ac	Yield DM ton/ac	N con. in biomass lbs/ac
4010	57.0	34.1	.	80.4	17.6	1.63	1.38	79.9
Admiral + Arvika	54.8	24.5	37.6	79.6	17.1	1.79	1.52	85.0
Admiral + Aust.Win.	55.0	25.1	32.0	81.5	18.7	1.51	1.28	73.9
Admiral	51.8	27.4	.	79.9	16.3	1.79	1.52	79.5
Arvika	58.0	33.8	.	79.6	17.5	1.88	1.60	90.0
Austrian Winter	58.3	27.9	.	82.3	19.8	1.17	0.99	66.2
Grande	55.0	25.8	.	79.4	17.2	1.66	1.41	80.0
Kebir	58.8	34.0	.	80.7	18.2	1.63	1.39	82.4
Tucker	54.5	25.6	.	81.1	19.4	1.57	1.33	87.4
Victoria	51.8	29.1	.	82.3	21.1	1.38	1.17	77.8
Mean	55.5	28.7	34.8	80.7	18.3	1.6	1.36	80.2
C.V.%	1.1	7.7	9.7	1.3	6.4	7.2	7.2	9.1
LSD.05	0.9	3.2	NS	1.6	2	0.17	0.14	12.6

Planting Date = May 8; Harvest Date = July 8; Previous Crop = Barley