

**North Central Research Extension Center—Minot
Crambe Variety Trial**

Variety	Early Vigor	Days 10% Flower	Days 90% Flower	Days to Maturity	Plant Height	Seed Weight	Test Weight	Oil ¹ %	Seed Yield				
									2007	2008	2009	Year	Year
BelAnn	2.3	52	78	98	49	49.0	26.6	39.9	1079	2292	3139	2715	2170
Meyer	1.5	51	78	98	45	45.0	25.0	40.7	1024	2185	2841	2513	2016
Nebula	4.0	49	76	95	47	47.1	25.9	48.7	1133	--	3259	--	2196
Galactica	2.8	50	77	96	48	47.7	25.7	47.0	1060	--	3279	--	2170
Westhope	4.8	50	76	96	49	48.6	25.0	48.0	1174	2300	3759	3030	2411
LSD 5%	0.8	1	3	2	3	3.3	1.0	3.3	NS	NS	582	--	--
C.V.%	17.7	1.5	2.1	1.6	4.5	4.5	2.5	4.8	13.9	15.4	11.6	--	--
Mean	3.1	50	77	97	47	47.5	25.7	44.9	1072	2269	3255	--	--

Planted on May 12 with a seeding rate of 7.2 million PLS and harvested on September 4.

¹ Oil adjusted to 8.5% moisture.

² Early Vigor: Vigor of plants 4 weeks after planting (1 = poorest, 5 = excellent).

³ DAP = Days after planting.