Hard Red Spring	Wheat - Irrigated, Fungicide							Carrington	
	Scab	Scab	Scab plot	Flag leaf	Plant	Grain	Test	250	
Treatment	inc	sev	sev	dis	Height	yield	Weight	KWT	Protein
Treatment	(%)	(%)	(%)	(%)	(cm)	(bu/A)	(lb/bu)	(g)	(%)
	(/0)	(/0)	(/0)	(/0)	(CIII)	(84,11)	(10,04)	(8)	(/0)
Ada	30	19	6	9	84.9	79.7	60.1	8.56	14.7
Alsen	31	26	9	3	89.4	66.2	59.9	8.23	15.3
Bakker Gold	16	19	4	8	94.0	70.7	57.6	8.01	14.0
Bigg Red	23	19	4	6	97.1	67.5	59.1	8.43	14.7
Briggs	35	39	14	4	88.8	78.1	60.1	8.95	15.1
Dapps	28	26	7	4	97.8	69.9	58.4	8.83	16.2
Fireball	20	14	3	8	84.3	64.3	57.3	7.15	15.7
Freyr	24	18	5	13	86.8	71.1	58.7	8.06	14.6
Glenn	23	18	5	6	94.8	79.4	62.5	8.80	15.4
Granger	38	29	10	12	91.9	66.3	58.7	9.79	15.3
Hanna	22	16	4	7	97.0	73.2	59.3	9.04	15.1
Howard	44	16	8	6	89.6	83.2	60.0	8.49	14.7
Dylan (KW175)	32	21	6	9	91.1	74.8	60.2	9.76	15.1
Kelby	47	24	11	12	80.5	68.8	59.0	7.83	15.3
Knudson	35	27	10	10	88.3	77.7	59.2	8.59	14.1
Oklee	33	25	9	7	88.9	68.3	60.5	9.02	15.5
Polaris	23	21	5	5	94.0	69.9	58.8	7.76	14.1
Rush	38	22	9	12	86.9	61.7	60.2	8.13	15.2
Steele-ND	37	29	11	4	90.3	82.2	59.4	8.65	14.8
Traverse	43	24	11	6	90.6	85.8	57.5	8.53	14.4
Trooper	41	24	11	9	81.8	77.8	60.5	9.62	14.5
Y GD (0.05)	10	NG	-	~	2.0		1	0.44	0.2
LSD (0.05)	10	NS	5	5	3.0	5.5	1	0.44	0.3
Fungicide	33	21	7	8	89.9	74.3	59.5	8.60	14.9
untreated	32	23	8	7	90.1	73.3	59.4	8.60	15.0
<u> </u>								_	
mean	32	22	8	7	90	73.8	59.4	8.60	14.9
LSD (0.05)	NS	NS	NS	NS	NS	NS	NS	NS	0.1

The irrigated trial was planted at 1.2 million pure live seeds/acre (A) on May 9 on soybean ground (supplemental wheat straw spread after planting) at the NDSU Carrington Research Extension Center. Experimental design was a randomized complete block with a factorial arrangement and four replications.

Stratego at 5 fl oz/A was applied to wheat at Feekes 2 to 5 stages and Tilt at 4 fl oz/A plus NIS (Induce) at 0.25% v/v was applied at Feekes 9 with a hand-boom plot sprayer equipped with 80015 flat fan nozzles delivering 17.5 gal/A at 40 psi. Folicur at 4 fl oz/A plus NIS (Induce) at 0.125% v/v was applied at Feekes 10.5.1 with TJ60 8002VS nozzles delivering 14 gpa at 35 psi. Flag leaf disease was visually evaluated on July 21 and Fusarium head blight (scab) was evaluated on July 26 at the soft-dough stage. The trial was harvested with a plot combine on August 15.