

**NDSU Carrington Research Extension Center  
2008 Variety Trial Data**

<b>Winter Rye</b>	<b>Carrington</b>
-------------------	-------------------

Variety	JDAY of Head**	Plant Lodge 0 - 9	Plant Height inch	---- Grain Protein ----		1000 KWT gram	Test Weight lb/bu	---- Grain Yield ----	
				2008 ----- % -----	3-yr. Avg.			2008 ----- bu/ac -----	3-yr. Avg.
Dacold	156.3	1.0	49.6	11.2	11.7	30.8	54.6	144.0	82.2
Remington*	154.0	1.8	50.0	12.1	12.3	31.6	54.7	77.4	62.0
Rymin	154.3	3.5	48.6	12.0	12.9	28.7	56.4	120.6	76.0
Mean	155.4	2.2	50.4	11.6	--	30.3	55.3	119.8	--
C.V. %	0.4	42.2	5.1	5.0	--	3.4	1.2	13.9	--
LSD .05	1.0	1.4	NS	NS	--	1.6	1.0	25.7	--

**Planting Date = September 18 ; Harvest Date = August 6; Previous Crop = Durum**

\* The plant stands of 'Remington' were significantly reduced compared to all other varieties. Re: Reduced stands likely due to a combination of factors related to seed vigor and winter survival.

\*\* JDAY of 155 equates to June 2.