


2018 NORTH DAKOTA WEED CONTROL GUIDE



Compiled by:

Rich Zollinger Extension Weed Science

Contributors:

Mike Christoffers Research Weed Science, Weed Genetics

Caleb Dalley Research Weed Science, Hettinger R&E Center

Greg Endres Extension Area Agronomist, Carrington R&E Center

Greta Gramig Research Weed Science, Weed Ecology

Kirk Howatt Research Weed Science, Small Grains/Minor Crops

Brian Jenks Research Weed Science, NC R&E Center, Minot

Clair Keene Extension Area Agronomist, Williston R&E Center

Rod Lym Research Weed Science, Noxious/Invasive Weeds

Mike Ostlie Research Weed Science, Carrington R&E Center

Tom Peters Extension Weed Science, Sugarbeet, NDSU/U of MN

Andy Robinson Extension Agronomist, Potato, NDSU/U of MN

Andrew Thostenson Extension Pesticide Programs

Harlene H. Valenti Research, High Value Crops

THIS PUBLICATION SUPERCEDES ALL PREVIOUS ISSUES OF W-253 SUBJECT TO CONDITIONS UNDER "WEED GUIDE INFORMATION"

www.ndsu.edu/weeds/

NDSU EXTENSION
SERVICE

NDSU NORTH DAKOTA AGRICULTURAL
EXPERIMENT STATION

JANUARY 2018

Table of Contents

Crops	Table	Narrative	
	(Pages)	(Pages)	(Paragraph)
Alfalfa, Legume forages	48-49	89	P1
Barley	7-14	80-81	C1-13
Canola / Herbicide resistant, Mustard	42-43	86	L1-3
Chickpea / Garbanzo bean	36-37	85	H1
Corn / Herbicide resistant	18-24	82	D1-8
Dry bean	32-33	85	F1-6
Flax	41	86	K1-2
Lentil	36-37	85	H2-3
Oat	15		
Pea, Field	34-35	84	G1-4
Potato / Vine kill	46-47	89	N1-5
Safflower	40		
Small acreage crops: Buckwheat, Juneberry, Millet, Mint, Onion, Rye, Sorghum, Triticale - page 17			
Soybean / Herbicide resistant	25-29	83-85	E1-12
Sugarbeet / Herbicide resistant	44-45	87-88	M1-18
Sunflower / Herbicide resistant	38-39	86	J1-5
Wheat, Spring, Durum, Winter	7-14	80-81	C1-13
Wheat, Barley PRE/POST-Harvest	16		
Noncropland Weed Control			
Chemical fallow	50-51		
CRP	52-53		
CRP breakout	53	87	R1
Grass establishment	54		
Lawn herbicides	54		
Shelterbelt	66		
Total Vegetation Control	67		
Special Weed Problems			
Annual weed control	55-65	90-93	S1-14
Bindweed, Field	56-57	94	T1
Brome, Downy and Japanese		90	S2
Cinquefoil, Rough		94	T4
Curly dock		94	T2
Dandelion		94	T5
Foxtails (pigeongrass)		90	S3
Horseweed (Marestail)		90	S6
Knapweed: Diffuse, Spotted, Russian	57-58		
Kochia		91	S7
Lambsquarters		91	S8
Milkweed, Common	95	94-95	T6
Nightshade		92	S9
Narrowleaf hawksbeard		90	S5
Noxious weeds	55		
Perennial weed control	55-65	94-97	T1-21
Purple loosestrife or Lythrum	58	97	T21
Quackgrass	99		
Ragweed, Common, Giant		92	S10-11
Saltcedar	59		
Spurge, Leafy	60-61	97	T20
Starthistle, Yellow	57		
Thistles, Biennial: Bull, Musk, Plumeless	64		
Thistle, Canada	62-63	94	T3
Toadflax, Dalmatian and Yellow	65		
Troublesome weeds in cropland and other areas	69		
Troublesome weeds in pasture / rangeland	68		
Volunteer Roundup Ready Crops	113		
Waterhemp		92-93	S12
Weed of the Year		132	
Wild buckwheat		90	S1
Wild oat		93	S14
Wormwood, Absinth	65		
Wormwood, Annual or Biennial		93	S13

Table of Contents (cont.)

General	(Pages)	Table (Pages) (P-graph)	Narrative	General	(Pages)	Table (Pages) (P-graph)	Narrative
Abbreviations Used			4	Organic Matter Test			70 A2
Adjuvants		128-130	76 A5-6	Mixing order / Instructions		76	
Annual Weed Control			90-93 S1-13	Mode of Action, Herbicides		100-101	
Backpack sprayer calibration			77 A11	Perennial Weed Control		55-65 94-97 T1-21	
Bioassay Instructions			103 Y5-6	Plant back interval (crops)		6	
Biological Weed Control			97 T20-21	POST-Applied Herbicides		70 A3	
Breakdown, Herbicide			102-103 Y1-4	POST Grass Herbicide Table		27	
Calibrating sprayers			77 A11-12	Programs, Herbicide - Corn		22-24	
Carryover and Residues			102-103 Y1-14	- Soybean		30-31	
Corn Herbicides			18-24	Prices, Herbicide		120-127	
Crop plant back interval			6	Rain-Free Interval		71	
Crop Rotation Restrictions			104-106	Ratings, Weed Control		113-119	
Drift, Spray and Vapor			76 A7	Soil Applied		114-115	
Emergency Information			5, Back page	POST Applied		116-119	
Environment, Effect on Herbicides			70 A3	RR Volunteers		113	
Fall-Applied Herbicides			6 78-80 B1-12	Resistant Weeds		98-99 X1	
Feeding Restrictions			110-112	Residues, Herbicide		101-103 Y1-14	
Field Bioassay Instructions			103 Y5-6	Residue Laboratories		108	
Formulations, Herbicide			120-127	Restricted Use Herbicides		5	
Glyphosate			71-73 A4	Rotation Restrictions (crops)		104-106	
Grasses, POST Herbicide Chart			27	RR crops, volunteer control		113	
Grazing Restrictions			110-112	Soybean Herbicide Premixes		30-31	
Hand-held sprayer calibration			77 A11-12	Spray Drift		75 A7	
Hard Water Antagonism			75, 131 A6	Sprayer Cleanout		76 A8	
Haying Restrictions			110-112	Sprayer Water Quality		75 A6	
Herbicide Breakdown, Factors			102-103 Y1-4	Surfactants		128-130 74 A5	
Herbicide Carryover			102-103 Y1-14	Surfactants allowed in water		128	
Herbicide Compendium			120-127	Volunteer control, RR crops		113	
Herbicide Formulations			120-127	Water Quality		75,129 A6	
Herbicide Incorporation			70 A1	Weed Control, Annual Weeds		90-93 S1-13	
Herbicide Mode of Action			100-101	Weed Control, Perennial Weeds		55-65 94-97 T1-21	
Herbicide, POST Grass Chart			27	Weed Control Ratings		114-119	
Herbicide - Corn			18-24	Soil Applied		114-115	
- Soybean			25-31	POST Applied		116-119	
Herbicide Prices			120-127	RUR volunteer crops		113	
Herbicide Rain-Free Interval			71	Weed of the Year		132-133	
Herbicide Resistant Weeds			98-99 X1	Weed Resistance		98-99 X1	
Herbicide Storage Temps			70 (Web)	Weed Guide - How To Use		4	
Incorporation of Herbicides			70 A1	Weed Guide - General Information		4-5, 70	
Laboratories for herbicide residue			108	Wick Application		77 A10	
Laboratories for water quality			131	2017 Updates		134-135	
Names, Herbicide			120-127				
Noxious Weeds of ND			55				

WEED GUIDE INFORMATION

The information in this guide provides a summary of herbicide uses in crops grown in North Dakota and is based on federal and state herbicide labels, research at ND Ag. Experiment Stations, and information from the North Dakota Department of Agriculture.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Instructions for registered uses of herbicides are given on container labels. The label is the final guide and should be strictly followed. The information in this guide only applies to North Dakota because some herbicide uses are allowed only by supplemental or specific ND labeling. Label possession is required at the time of application.

This bulletin is provided for your information. North Dakota State University or its officers or employees make no claims, representations, or guarantees as to product performance nor accept responsibility for results from using herbicides. See legal disclaimer on the next page.

Below is information to aid in using this guide:

Herbicides. Herbicides in tables are listed by trade name followed by common name in parenthesis except where several brands are available. Contact chemical suppliers and the ND Dept of Ag for new label information.

Rates. Rates in tables are based on broadcast application and are expressed according to formulated product per acre with active ingredient (ai) or acid equivalent (ae) per acre given in parentheses. Commercial formulations of the same ai may vary in concentration.

For example, a pint of 4 lb ae/gal 2,4-D contains 0.5 lb while a pint of 6 lb ae/gal 2,4-D contains 0.75 lb or a quart of 3 lb ae/gal glyphosate contains 0.75 lb while a quart of 4.5 lb ae/gal glyphosate contains 1.125 lbs.

What is the difference between ai and ae? The ai of glyphosate is the weight of both glyphosate acid plus the salt formulated with the glyphosate molecule. The acid equivalent (ae) of glyphosate is only the weight of glyphosate without the salt. The label of commercial products list both active ingredient (ai) and inert ingredients. Inert ingredients are not phytotoxic but are used to create stable formulations and to aid in application, herbicide retention, deposition, and absorption. The active ingredient of some herbicides are formulated with salts or esters (See Herbicide Compendium). Glyphosate is formulated at different concentrations, as pure acid, and with five salts, isopropyl amine (ipa), dimethyl amine (dma), ammonium, diammonium (2(NH₃), and potassium (K). The salt formulated with herbicide molecules does not contribute to weed control. Glyphosate formulated at different concentrations and with different salts require using acid equivalent (ae) when calculating rates. The following table gives the relationship between ae and active ingredient (ai).

Table. Glyphosate product rates based on ae and ai formulation concentrations.

lb ae or ai/gallon	Rate as acid equivalent (ae)			
	0.75	1.125	1.5	2.25
3 lb ae = 4 lb ai =	32	48	64	96
3.75 lb ae = 5 lb ai =	25.6	38.4	51.2	76.8
4 lb ae = 5.4 lb ai =	24	36	48	72
4.17 lb ae = 5.1 lb ai =	23	34.5	46	69
4.5 lb ae = 5.5 lb ai =	21.3	32	42.6	64
4.72 lb ae = 6.3 lb ai =	20.3	30.5	40.7	61
5 lb ae = 6.1 lb ai =	19.2	28.8	38.4	57.6


Weed Control Ratings. Herbicide effectiveness ratings listed in tables show general comparative ratings based on field observations. Weed control may be equal or greater than what is indicated in the table under favorable conditions or may be reduced and unsatisfactory may result in unfavorable conditions.

Abbreviations Used

Units of Measurement

oz	= ounce (16 oz/lb)
fl oz	= fluid ounce (128 fl oz/gal)
pt	= pint (8 pt/gal)
gal	= gallon
ae	= acid equivalent
ai	= active ingredient
conc	= concentration
v/v	= volume/volume
lb, lb/gal	= pound, pounds/gallon
gpa	= gallons per acre

Type of Application

EPP	= Early preplant
PPI	= Preplant incorporated
PRE	= Preemergence
EPOST	= Early postemergence
POST	= Postemergence
POST Directed	= Postemergence directed
	= Aerial application prohibited

Herbicide Group Numbering

Herbicide name^{number 1-30} = herbicide site of action group - see pages 100-101

Types of Formulation

DF	= Dry flowable
EC	= Emulsifiable concentrate
F	= Flowable
G	= Granule
ME	= Micro-encapsulated
OD	= Oil dispersion
S/SL	= Solution/Soluble Liquid
SC	= Suspension "Suspo" concentrate
SE	= Solution emulsion
SG	= Soluble granule
WDG/XP	= Water dispersible granule
ZC	= Suspension of microcapsules and solid fine particles

Miscellaneous

ACCCase	= Acetyl CoA carboxylase
ALS	= Acetolactate synthase
AMS	= Ammonium sulfate
DAA	= Days after application
IMI	= Imidazolinone
MSO	= Methylated seed oil
NIS	= Nonionic surfactant
OM	= Organic matter
PHI	= Preharvest interval
RUP	= Restricted Use Pesticide
SU	= Sulfonylurea
UAN	= Urea ammonium nitrate

GENERAL INFORMATION

LEGAL DISCLAIMER

The weed control suggestions presented in this guide are based on Federal label clearance, on information obtained from the North Dakota Agricultural Experiment Station, and reports in North Dakota Weed Control Research.

CAUTION: Instructions for registered uses of herbicides are given on container labels. **Read and follow label instructions carefully.** Pesticide labels supersede recommendations given in this guide. Weed control suggestions in this guide are based on the assumption that all herbicides mentioned will continue to have a registered label with the Environmental Protection Agency. This guide may contain recommendations for herbicides that are labeled only for North Dakota. The user of any pesticide must possess a copy of the label at the time of application. State labels can be obtained from chemical dealers or distributors or found on the NDDOA web site at: <http://www.kellysolutions.com/nd>

Use pesticides only on registered crops. Some formulations of an active ingredient may not be labeled for certain uses. Federal law makes liable for seizure any raw agricultural commodity that possesses a pesticide residue for which no exemption or tolerance has been established or that exceeds the tolerances established by the Food and Drug Administration. Persons using pesticides in a manner contrary to label instructions are subject to penalty under federal and state laws. North Dakota State University or its officers or employees makes no claims or representations that the chemicals discussed will or will not result in residues on agricultural commodities and assume no responsibility for results from using herbicides.

USE PESTICIDES ONLY AS LABELED.

Pesticide Labeling and Registration

No pesticide may be sold or used in the United States until the U.S. Environmental Protection Agency (EPA) has registered and approved the product use and the labeling. Canadian and other foreign labeled pesticides may not be used in the United States until registered by the EPA.

TYPES OF PESTICIDE REGISTRATIONS

Federal EPA Registrations, also known as 3e and 2ee labels, are the most common and widely used type of pesticide registration. Product labels of pesticides being applied must be at the application site during the time of application. Aerial applicators must have the label at the loading site.

Section 24(c) Registrations, also known as (SLN) State Local Needs registrations:

- are state-specific registrations issued by states
 - are used to address a special local need
 - must prove there is an existing or imminent pest problem for which a federally registered pesticide is not available
 - can be used to address pest resistance management.
- SLN registrations can be used to register additional uses or add limitations for a federally registered pesticide, like adding application sites, pests, or alternate control methods to those listed on federally registered labeling. SLN labels are initiated by the ND Department of Ag and must be approved by EPA.

Supplemental labeling must be provided for each SLN registration. Applicators must have the SLN label and federal label in their possession at application. These registrations are legal only in the state or local area specified in the labeling.

Section 18 “Emergency” and “Crisis” exemptions from FIFRA allows the unregistered use of a pesticide to address an emergency pest situation and are used when a crisis pest situation:

- is an emergency and non-routine
- has no or ineffective alternative management tools and
- is severe and can be documented to cause yield or economic loss (>20%) on the specified crop.

Both types of exemptions from registration allows use of a pesticide for a non-registered purpose for a specified period of time. ND “Emergency” Section 18 exemptions are registrations initiated by the NDDA, are approved by the EPA, and can be declared if both federal and SLN registrations are not or cannot be enacted in time to prevent the condition. In rare occasions, when time is critical and the emergency is acute, NDDA can declare a “Crisis” exemption without written approval of EPA. The NDDA informs EPA of the condition prior to the action and allows EPA to support the state action. This process usually takes 10 to 14 days to complete. The duration of a “Crisis” exemption (14 to 21 days) is shorter than an “Emergency” exemption. If an “Emergency” exemption is being reviewed by the EPA at the time the “Crisis” exemption is declared the EPA may elect to grant the “Emergency” exemption and increase the period of duration. An applicator must possess federal labels and Section 18 exemption labeling at application.

RESTRICTED USE PESTICIDES (RUP)

EPA categorizes pesticides as either unclassified (general use) or restricted. **Restricted-Use Pesticides (RUP)** are pesticides that can cause harm to humans or environment and must be applied by certified applicators. Only certified dealers may sell RUPs and only certified applicators may purchase, or apply an RUP. Private and commercial/public applicators must record certain information for all pesticide applications.

RESTRICTED USE HERBICIDES:

All products and premixes containing the active ingredients listed below are restricted use pesticides. See Mode of Action table in Section X1.

Atrazine = See Mode of Action #5

Isoxaflutole = See Mode of Action #27

Paraquat = See Mode of Action #22

Picloram = See Mode of Action #4

Sulfuric acid

Brand names of other RUP:

Amitrole-T, Cytrole (amitrole)

Dicamba: **Engenia, Fexapan, XtendiMax**. See Mode of Action #4

Husky Complete = See Mode of Action #2, 6, 27

Kerb 50W (pronamide)

SAFETY AND EMERGENCY PHONE NUMBERS:

ND Poison Control Line: 800 222-1222

ND Emergency Assistance Line: 800 472-2121

Report pesticide incident to NDDA: 701 328-2232