



Wheat Response to Glyphosate



LSD (0.05) = 8, 5, 5

Wheat Response to Glyphosate




LSD (0.05) = 6, 7, 3





Cereal Response to Glyphosate



LSD (0.05) = 4, 5, 3, 5

Everest 3.0



- **Oil Dispersion**
- **1.75 # flucarbazone/gal**
- **Spring, durum, and winter wheat**
- **One-leaf to 60 days PHI**
- **Spray water above 50°F aids dispersion**
- **1 hour rain-free interval**
- **30 days to grazing**

Everest 3.0 Use Rates

- One in-season application
 - 1 to 2 fl oz/A
- Pre-Pare fb Everest 3.0

0 oz/A

2 fl oz/A

0.2 oz/A

1.3 fl oz/A


0.25 oz/A

1.2 fl oz/A

0.3 oz/A

1 fl oz/A

Everest 3.0 Weed Control



LSD (0.05) = 3, 5, 5, 6

OpenSky




Dow AgroSciences

- **SuspoEmulsion**
- **0.107# pyroxsulam & 0.95# floxypyr/gal**
- **Spring wheat, 1 pt/A**
- **Winter wheat, 1.25 pt/A**
- **Three-leaf to prior to flag emergence**
- **4 hour rain-free interval**
- **7 days to grazing, 28 days to hay**



Broadleaf Control with OpenSky



LSD (0.05) = 5, 8

OpenSky Fluroxypyr Load

- 1 pt for spring wheat – 1.9 oz flox
- 1.25 pt for winter wheat – 2.4 oz flox
- Other products typical use rates

Travallas 1.1

Sentrallas 1.1 to 1.6

Starane Flex 1.4

Starane NXT 1 to 1.5

Axial Star 1.5

WideMatch 1.5

Raze 1 to 1.5

PerfectMatch 1.5


GoldSky 1.42

Starane Efficacy on Kochia, year 2000

Starane	Fargo	Oriska	Carrington	Minot
Fl oz/A	% Control			
1.3	10	8	17	78
2.7	15	29	43	94
5.3	25	55	80	99
8.0	81	90	93	99
10.6*	90	90	93	99
LSD (0.05)	6	11	9	11


*10.6 fl oz = 2/3 pt

Control of Small Kochia




LSD (0.05) = 2

Kochia Control




LSD (0.05) = 5

Antagonism of Wild Oat Control



LSD (0.05) = 5, 5

Antagonism of V. Corn Control



LSD (0.05) = 7, 7